

Publication

EP 0861908 A4 19981007

Application

EP 97935796 A 19970815

Priority

- JP 9702843 W 19970815
- JP 23369696 A 19960816
- JP 27858696 A 19961001
- JP 18026597 A 19970623

Abstract (en)

[origin: WO9807891A1] A method of manufacturing sintered ore by charging a blended raw material, which contains a raw powder ore, solvent and fuel, onto a pallet of a sintering machine to form a raw material packed bed and then igniting a surface of the raw material packed bed to effect sintering reaction downward from above. In the method of manufacturing sintered ore and the sintering machine, when an upper layer of the raw material packed bed is adequately fired, a mass flow rate of oxygen containing gas supplied to the raw material packed bed is changed to be 1.01 to 2.6 times the mass flow rate of oxygen containing gas supplied in the range, in which the upper layer of the raw material packed bed is fired, to effect sintering, thereby obtaining a high yield and a product having an excellent quality. More preferably, when a tip end of a region, in which a combustion fusing band is formed, reaches a position below 20 % of a height of the raw material packed bed from the upper layer of the raw material packed bed, a mass flow rate of oxygen containing gas supplied to the raw material packed bed is changed in the above manner to effect sintering.

IPC 1-7

C22B 1/20

IPC 8 full level

C22B 1/20 (2006.01)

CPC (source: EP KR)

C22B 1/20 (2013.01 - EP KR); **C22B 1/205** (2013.01 - EP)

Citation (search report)

- No further relevant documents disclosed
- See references of WO 9807891A1

Cited by

CN103033063A; AU2007207112B2; EP4112756A4; US7914731B2; WO2007082694A1

Designated contracting state (EPC)

DE FR GB

DOCDB simple family (publication)

WO 9807891 A1 19980226; AU 3865397 A 19980306; AU 697445 B2 19981008; BR 9706625 A 19991123; CN 1062913 C 20010307; CN 1198779 A 19981111; DE 69716231 D1 20021114; DE 69716231 T2 20030814; EP 0861908 A1 19980902; EP 0861908 A4 19981007; EP 0861908 B1 20021009; JP 3930570 B2 20070613; KR 100257441 B1 20000515

DOCDB simple family (application)

JP 9702843 W 19970815; AU 3865397 A 19970815; BR 9706625 A 19970815; CN 97191095 A 19970815; DE 69716231 T 19970815; EP 97935796 A 19970815; JP 51056998 A 19970815; KR 19980702769 A 19980416