

## Title (en)

Method for processing a silver halide color photographic light-sensitive material

## Title (de)

Verarbeitungsverfahren für ein lichtempfindliches, photographisches Silberhalogenidfarbmaterial

## Title (fr)

Procédé de traitement d'un matériau photographique couleur à l'halogénure d'argent sensible à la lumière

## Publication

**EP 0871065 A1 19981014 (EN)**

## Application

**EP 98106286 A 19980406**

## Priority

JP 10243597 A 19970407

## Abstract (en)

There is disclosed a method for processing a silver halide color photographic light-sensitive material, which comprises after subjecting a silver halide color photographic light-sensitive material exposed to light imagewise, to color-development, bleaching the light-sensitive material, wherein the bleaching is carried out using a bleaching solution containing an iron(III) complex salt of an aminopolycarboxylic acid compound of the formula (I): <CHEM> wherein R1 represents a hydrogen atom, an aliphatic hydrocarbon group, an aryl group, or a heterocyclic group, L1 and L2 each represent an alkylene group, and M1 and M2 each represent a hydrogen atom or a cation, with the replenishment being made with a bleaching replenisher (2), and wherein after the overflow (6) from a bleaching bath (4) resulting from the replenishment is regenerated with a bleaching-solution-regenerating agent (13) in an amount smaller than the amount of the color developer, per square meter of the light-sensitive material to be processed, carried into the bleaching bath from a color-developing bath, the overflow is used as the bleaching replenisher (2). According to this method, when a regenerated bleaching solution is used, stain and fogging are suppressed, bubbling at the time of regeneration is suppressed, the efficiency of the regeneration operation is improved, and a bleaching solution can be regenerated and used without impairing the bleaching performance, with the load on the environment reduced. <IMAGE>

## IPC 1-7

**G03C 5/395**; **G03C 5/44**; **G03C 7/44**

## IPC 8 full level

**G03C 7/42** (2006.01); **G03C 7/44** (2006.01)

## CPC (source: EP)

**G03C 7/42** (2013.01); **G03C 7/44** (2013.01)

## Citation (search report)

- [X] US 5580705 A 19961203 - UEDA YUTAKA [JP], et al
- [X] US 5153111 A 19921006 - YOSHIDA KAZUAKI [JP], et al
- [X] US 4923785 A 19900508 - FRANK KARL [DE]
- [A] EP 0329088 A2 19890823 - KONISHIROKU PHOTO IND [JP]
- [A] EP 0488233 A1 19920603 - FUJI PHOTO FILM CO LTD [JP]
- [A] EP 0512318 A2 19921111 - AGFA GEVAERT AG [DE]
- [A] COOLEY A ET AL: "FACTORS LIMITING THE RECOVERY, REGENERATION, AND REUSE OF PHOTOGRAPHIC PROCESSING SOLUTIONS", JOURNAL OF IMAGING SCIENCE AND TECHNOLOGY, vol. 37, no. 6, 1 November 1993 (1993-11-01), pages 603 - 606, XP000422491
- [A] PATENT ABSTRACTS OF JAPAN vol. 015, no. 352 (P - 1248) 6 September 1991 (1991-09-06)
- [A] PATENT ABSTRACTS OF JAPAN vol. 096, no. 005 31 May 1996 (1996-05-31)

## Cited by

EP0996035A1; US6174653B1; US7160674B2

## Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

## DOCDB simple family (publication)

**EP 0871065 A1 19981014**; **EP 0871065 B1 20020828**; AT E223075 T1 20020915; DE 69807383 D1 20021002; DE 69807383 T2 20030109

## DOCDB simple family (application)

**EP 98106286 A 19980406**; AT 98106286 T 19980406; DE 69807383 T 19980406