

Title (en)
PROCESS FOR THE HOT ROLLING OF STEEL BANDS

Title (de)
VERFAHREN ZUM WARMWALZEN VON STAHLBÄNDERN

Title (fr)
PROCEDE DE LAMINAGE A CHAUD DE FEUILLARDS D'ACIER

Publication
EP 0873428 A1 19981028 (DE)

Application
EP 97901001 A 19970111

Priority
• DE 19600990 A 19960114
• EP 9700107 W 19970111

Abstract (en)
[origin: DE19600990A1] The invention relates to a process for the hot rolling of bands from unalloyed or low-alloy steel, in particular extra low carbon, ultra low carbon and interstitial free steel, in a multiple-stand finishing group, starting at a temperature in the steel austenite range and ending at a temperature in the steel ferrite range. Structural transformation of the steel is completed by cooling of the band between stands of the finishing group. The invention is characterised in that the band is rolled in the austenitic phase to an intermediate thickness ranging from 2 to 12 mm, is cooled for ferrite transformation in a single cooling stage, and subsequently rolled to size in the ferritic phase.

IPC 1-7
C21D 8/02

IPC 8 full level
B21B 1/26 (2006.01); **B21B 3/00** (2006.01); **C21D 8/02** (2006.01); **C21D 8/04** (2006.01); **B21B 1/46** (2006.01)

CPC (source: EP KR)
B21B 1/26 (2013.01 - EP); **C21D 8/0226** (2013.01 - EP KR); **C21D 8/0294** (2013.01 - KR); **C21D 8/0426** (2013.01 - EP); **C21D 9/52** (2013.01 - KR); **B21B 1/46** (2013.01 - EP); **B21B 2201/04** (2013.01 - EP); **C21D 8/0231** (2013.01 - EP); **C21D 2211/005** (2013.01 - KR); **C21D 2221/02** (2013.01 - KR)

Citation (search report)
See references of WO 9726377A1

Designated contracting state (EPC)
AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)
DE 19600990 A1 19970717; **DE 19600990 C2 19971218**; AU 1440897 A 19970811; CA 2242728 A1 19970724; EP 0873428 A1 19981028; JP 2000503345 A 20000321; KR 19990077215 A 19991025; MX 9805594 A 19981031; WO 9726377 A1 19970724

DOCDB simple family (application)
DE 19600990 A 19960114; AU 1440897 A 19970111; CA 2242728 A 19970111; EP 9700107 W 19970111; EP 97901001 A 19970111; JP 52566397 A 19970111; KR 19980705357 A 19980713; MX 9805594 A 19980710