

Title (en)

METHOD TO MEASURE SLAG LAYER THICKNESS ON A MOLTEN BATH AND APPROPRIATE DEVICE FOR USE OF SAID METHOD

Title (de)

VERFAHREN ZUR MESSUNG DER SCHLACKENSCHICHTDICKE AUF EINER METALLSCHMELZE SOWIE ZUR DURCHFÜRUNG DES VERFAHRENS GEEIGNETE VORRICHTUNG

Title (fr)

PROCEDE POUR MESURER L'EPATISSEUR DE LA COUCHE DE SCORIES SUR UNE MASSE DE METAL EN FUSION, ET DISPOSITIF POUR LA MISE EN OEUVRE DE CE PROCEDE

Publication

**EP 0929793 A1 19990721 (DE)**

Application

**EP 97942768 A 19970902**

Priority

- DE 9701914 W 19970902
- DE 19640723 A 19961002

Abstract (en)

[origin: DE19640723A1] The invention relates to a method to measure slag layer thickness on a molten bath. According to said method a probe fitted with an optical measuring head is moved through the slag layer and the position of the probe is determined so that the various optical characteristics of the molten bath, slag and air and/or the different temperature curves in the molten bath are measured as measurement quantities by the probe and thus the molten bath-slag and slag-air transitions are recorded. The invention relates to a device enabling said method to be used. Said device comprises a probe with a measuring head, which measures the intensity of an electromagnetic radiation in a given wavelength region of the optical spectrum.

IPC 1-7

**G01B 21/08; G01B 11/06; G01J 5/04**

IPC 8 full level

**G01B 11/00** (2006.01); **G01B 11/06** (2006.01); **G01B 21/08** (2006.01); **G01J 5/04** (2006.01)

CPC (source: EP)

**G01B 11/00** (2013.01); **G01B 11/06** (2013.01)

Citation (search report)

See references of WO 9814755A1

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

**DE 19640723 A1 19980409; DE 19640723 C2 19990812; DE 59707806 D1 20020829; EP 0929793 A1 19990721; EP 0929793 B1 20020724; WO 9814755 A1 19980409**

DOCDB simple family (application)

**DE 19640723 A 19961002;** DE 59707806 T 19970902; DE 9701914 W 19970902; EP 97942768 A 19970902