

Title (en)
Steel alloys

Title (de)
Stahllegierungen

Title (fr)
Alliages d'acier

Publication
EP 0976844 A3 20000322 (EN)

Application
EP 99305430 A 19990708

Priority
US 12376198 A 19980727

Abstract (en)
[origin: US5906791A] A steel comprises additives including rare earth elements, boron and at least one of rhenium, osmium, iridium, ruthenium, rhodium. The steel exhibits resistance to embrittlement, oxidation and creep. The steel also comprises balanced amounts of nickel and cobalt to minimize a ratio of nickel to cobalt, and optimize aging embrittlement resistance with as tempered toughness. The steel comprises, by weight percent: at least one of rhenium, osmium, iridium, ruthenium, rhodium (0.01 to 2.00); rare earth element (0.50 max.); boron (0.001-0.04); carbon (0.08-0.15); silicon (0.01-0.10); chromium (8.00-13.00); at least one of tungsten and molybdenum (0.01 to 2.00); at least one austenite stabilizer; such as nickel, copper, cobalt and manganese (0.001-6.00); vanadium (0.25-0.40); phosphorus (0.010 max.); sulfur (0.004 max.); nitrogen (0.060 max.); hydrogen (2 ppm max.); oxygen (50 ppm max.); aluminum (0.001-0.025); arsenic (0.0060 max.); antimony (0.0030 max.); tin (0.0050 max.); iron (balance).

IPC 1-7
C22C 38/32; **C22C 38/52**; **C22C 38/54**; **C22C 38/00**

IPC 8 full level
C22C 38/00 (2006.01); **C22C 38/22** (2006.01); **C22C 38/24** (2006.01); **C22C 38/60** (2006.01)

CPC (source: EP KR US)
C22C 38/00 (2013.01 - KR); **C22C 38/002** (2013.01 - EP US); **C22C 38/22** (2013.01 - EP US); **C22C 38/24** (2013.01 - EP US)

Citation (search report)
• [AD] US 5320678 A 19940614 - INOUE HIROKI [JP], et al
• [X] PATENT ABSTRACTS OF JAPAN vol. 1995, no. 02 31 March 1995 (1995-03-31)
• [A] PATENT ABSTRACTS OF JAPAN vol. 012, no. 015 (C - 469) 16 January 1988 (1988-01-16)
• [A] PATENT ABSTRACTS OF JAPAN vol. 1998, no. 10 31 August 1998 (1998-08-31)

Cited by
EP3034645A1; EP1347073A4; EP2221393A1; CH700482A1; CN101837521A; EP2116626A1; US10260357B2; US7820098B2; US8007715B2; US11408057B2

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)
US 5906791 A 19990525; CN 1092715 C 20021016; CN 1243169 A 20000202; DE 69915742 D1 20040429; DE 69915742 T2 20050113; EP 0976844 A2 20000202; EP 0976844 A3 20000322; EP 0976844 B1 20040324; JP 2000119820 A 20000425; JP 4906988 B2 20120328; KR 100641457 B1 20061031; KR 20000011964 A 20000225

DOCDB simple family (application)
US 12376198 A 19980727; CN 99109040 A 19990527; DE 69915742 T 19990708; EP 99305430 A 19990708; JP 21004199 A 19990726; KR 19990030285 A 19990726