

Title (en)  
METHOD FOR PRODUCING A MAGNETIC ALLOY POWDER

Title (de)  
VERFAHREN ZUR HERSTELLUNG EINES MAGNETLEGIERUNGSPULVERS

Title (fr)  
PROCEDE POUR PRODUIRE UNE POUDRE D'ALLIAGE MAGNETIQUE

Publication  
**EP 1032940 B1 20010912 (DE)**

Application  
**EP 98956933 A 19981119**

Priority

- DE 19751366 A 19971120
- DE 19751367 A 19971120
- EP 9807418 W 19981119

Abstract (en)  
[origin: US6352597B1] A method is disclosed enabling a technologically controllable and economical production of a hard-magnetic powder composed of a samarium-cobalt base alloy for highly coercive permanent magnets. The method is based on a HDDR treatment in which a starting powder is subjected to hydrogenation with disproportionation of the alloy in a first method step under hydrogen and, in a subsequent, second method step under vacuum conditions, a hydrogen desorption with recombination of the alloy. A starting powder containing samarium and cobalt is treated in the first method step either at a high temperature in the range of 500° C. to 900° C. and with a high hydrogen pressure of >0.5 MPa or by applying an intensive fine grinding at a low temperature in the range of 50° C. to 500° C. and with a hydrogen pressure of >0.15 MPa. By means of the method of the invention, magnetic alloy powders can be produced from samarium-cobalt base alloys; highly coercive permanent magnets can be produced from these magnetic alloy powders, particularly by hot compacting or plastic bonding.

IPC 1-7  
**H01F 1/055**

IPC 8 full level  
**B22F 9/00** (2006.01); **B22F 9/02** (2006.01); **B22F 9/04** (2006.01); **C22C 33/02** (2006.01); **H01F 1/055** (2006.01); **H01F 1/06** (2006.01)

CPC (source: EP US)  
**B22F 9/023** (2013.01 - EP US); **B22F 9/04** (2013.01 - EP US); **H01F 1/0553** (2013.01 - EP US); **B22F 2999/00** (2013.01 - EP US)

Cited by  
DE102012200850A1; CZ305703B6

Designated contracting state (EPC)  
CH DE DK FI FR GB LI SE

DOCDB simple family (publication)  
**US 6352597 B1 20020305**; DE 59801474 D1 20011018; EP 1032940 A1 20000906; EP 1032940 B1 20010912; JP 2001524604 A 20011204; WO 9927544 A1 19990603

DOCDB simple family (application)  
**US 55484100 A 20000714**; DE 59801474 T 19981119; EP 9807418 W 19981119; EP 98956933 A 19981119; JP 2000522596 A 19981119