

Title (en)

METHOD FOR MANUFACTURING NITRIDED PARTS

Title (de)

VERFAHREN ZUR HERSTELLUNG NITRIDIERTER FORMTEILE

Title (fr)

PROCÉDÉ DE FABRICATION DE PIÈCES NITRURÉES

Publication

EP 1044287 B1 20111102 (FR)

Application

EP 99946245 A 19990928

Priority

- FR 9902297 W 19990928
- FR 9812209 A 19980930

Abstract (en)

[origin: WO0018975A1] The invention concerns a steel composition comprising, expressed in wt.%: 0.2 to 0.4 % of C; 0.8 to 2 % of Cr; 0.6 to 2 % of Mo; 0.05 to 0.4 % of Al; and as the case may be, not more than 0.5 % of Si; not more than 1.5 % of Mn; not more than 1.5 % Ni; not more than 0.5 % of V; the rest consisting of iron and residual impurities; said composition Cr, Mo, V and Al contents expressed in wt.% satisfies the following relationship: $4 \leq 3\text{Cr} + \text{Mo} + \text{V} + 2\text{Al} \leq 8$. The invention also concerns a method for making treated and nitrided parts, made of said compositions.

IPC 8 full level

C22C 38/22 (2006.01); **C22C 38/06** (2006.01); **C22C 38/24** (2006.01); **C22C 38/44** (2006.01); **C22C 38/46** (2006.01); **C23C 8/26** (2006.01)

CPC (source: EP)

C22C 38/06 (2013.01); **C22C 38/22** (2013.01); **C22C 38/24** (2013.01); **C22C 38/44** (2013.01); **C22C 38/46** (2013.01); **C23C 8/26** (2013.01)

Cited by

WO2013087379A1

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

WO 0018975 A1 20000406; AT E531832 T1 20111115; CA 2312034 A1 20000406; CA 2312034 C 20100601; DK 1044287 T3 20111212;
EP 1044287 A1 20001018; EP 1044287 B1 20111102; ES 2374261 T3 20120215; FR 2783840 A1 20000331; FR 2783840 B1 20001110

DOCDB simple family (application)

FR 9902297 W 19990928; AT 99946245 T 19990928; CA 2312034 A 19990928; DK 99946245 T 19990928; EP 99946245 A 19990928;
ES 99946245 T 19990928; FR 9812209 A 19980930