

Title (en)

Carbon dioxide adsorbents containing magnesium oxide suitable for use at high temperatures

Title (de)

Kohlendioxidadsorbentien aus Magnesiumoxid verwendbar bei hoher Temperatur

Title (fr)

Adsorbants pour gaz carbonique à base d'oxyde de magnésium utilisables à hautes températures

Publication

**EP 1074297 A2 20010207 (EN)**

Application

**EP 00116164 A 20000801**

Priority

US 37000699 A 19990806

Abstract (en)

Adsorption of carbon dioxide from gas streams at temperatures in the range of 300 to 500 DEG C is carried out with a solid adsorbent containing magnesium oxide, preferably promoted with an alkali metal carbonate or bicarbonate so that the atomic ratio of alkali metal to magnesium is in the range of 0.006 to 2.60. Preferred adsorbents are made from the precipitate formed on addition of alkali metal and carbonate ions to an aqueous solution of a magnesium salt. Atomic ratios of alkali metal to magnesium can be adjusted by washing the precipitate with water. Low surface area adsorbents can be made by dehydration and CO<sub>2</sub> removal of magnesium hydroxycarbonate, with or without alkali metal promotion. The process is especially valuable in pressure swing adsorption operations.

IPC 1-7

**B01J 20/04**; **B01D 53/62**

IPC 8 full level

**B01D 53/02** (2006.01); **B01D 53/04** (2006.01); **B01D 53/047** (2006.01); **B01D 53/62** (2006.01); **B01J 20/04** (2006.01); **B01J 20/30** (2006.01); **B01J 20/34** (2006.01); **C01F 5/00** (2006.01)

CPC (source: EP KR US)

**B01D 53/02** (2013.01 - EP US); **B01D 53/047** (2013.01 - KR); **B01D 53/62** (2013.01 - EP KR US); **B01J 20/04** (2013.01 - KR); **B01J 20/041** (2013.01 - EP US); **B01J 20/043** (2013.01 - EP US); **B01D 53/047** (2013.01 - EP US); **B01D 2251/302** (2013.01 - EP US); **B01D 2251/304** (2013.01 - EP US); **B01D 2251/306** (2013.01 - EP US); **B01D 2251/402** (2013.01 - EP US); **B01D 2251/602** (2013.01 - EP US); **B01D 2251/606** (2013.01 - EP US); **B01D 2253/112** (2013.01 - EP US); **B01D 2253/25** (2013.01 - EP US); **B01D 2257/504** (2013.01 - EP US); **B01D 2259/4005** (2013.01 - EP US); **Y02C 20/40** (2020.08 - EP US)

Cited by

CN111603907A; CN104998608A; ES2354671A1; GB2428038A; GB2428038B; US8709367B2; US9539541B2; WO2015082567A1; WO2013109895A1; US8383072B2; US9433886B2; US10350547B2; US10807042B2

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

**EP 1074297 A2 20010207**; **EP 1074297 A3 20011121**; AU 4897300 A 20010208; AU 746767 B2 20020502; BR 0003340 A 20010313; BR 0003340 B1 20140923; CA 2315831 A1 20010206; CA 2315831 C 20040323; JP 2001070726 A 20010321; JP 2004195465 A 20040715; JP 4002054 B2 20071031; JP 4181062 B2 20081112; KR 100384256 B1 20030516; KR 20010067059 A 20010712; SG 109955 A1 20050428; TW 527211 B 20030411; US 6280503 B1 20010828

DOCDB simple family (application)

**EP 00116164 A 20000801**; AU 4897300 A 20000802; BR 0003340 A 20000802; CA 2315831 A 20000727; JP 2000233360 A 20000801; JP 2004034558 A 20040212; KR 20000045429 A 20000805; SG 200003549 A 20000623; TW 89115448 A 20000801; US 37000699 A 19990806