

Title (en)

Ferritic niobium-stabilised 14% chromium steel and its use in the car industry

Title (de)

Ferritisches Niobium-stabilisiertes 14% Chrom-stahl und dessen Verwendung in Kraftfahrzeugen

Title (fr)

Acier ferritique à 14% de chrome stabilisé au niobium et son utilisation dans le domaine de l'automobile

Publication

**EP 1083241 B1 20041110 (FR)**

Application

**EP 00402447 A 20000906**

Priority

FR 9911257 A 19990909

Abstract (en)

[origin: EP1083241A1] Niobium stabilized ferritic chromium steel strip is produced from a steel having specified molybdenum, silicon and tin contents and containing a cubic iron-niobium phase as the sole intermetallic phase at high temperature. A niobium stabilized ferritic 14% chromium steel strip is produced from a steel of composition (by wt.)  $\leq$  0.02% C, 0.002-0.02% N, 0.05-1% Si, greater than 0 to 1% Mn, 0.2-0.6% Nb, 13.5-16.5% Cr, 0.02-1.5% Mo, greater than 0 to 1.5% Cu, greater than 0 to 0.2% Ni, greater than 0 to 0.020% P, greater than 0 to 0.003% S, greater than 0.005 to 0.04% Sn, balance Fe and impurities, the Nb, C and N contents satisfying the relationship  $Nb/(C + N) \geq 9.5$ , by: (a) reheating before hot rolling at 1150-1250 (preferably 1175) degrees C; (b) coiling at 600-800 (preferably 600) degrees C; (c) cold rolling, optionally after pre-annealing; and (d) final annealing at 800-1100 (preferably 1050) degrees C for 1-5 (preferably 2) min. An Independent claim is also included for a niobium stabilized 14% chromium ferritic steel sheet obtained by the above process.

IPC 1-7

**C22C 38/26; C21D 8/02**

IPC 8 full level

**C21D 8/02** (2006.01); **C22C 38/00** (2006.01); **C22C 38/22** (2006.01); **C22C 38/26** (2006.01)

CPC (source: EP US)

**C21D 8/0205** (2013.01 - EP US); **C22C 38/001** (2013.01 - EP US); **C22C 38/008** (2013.01 - EP US); **C22C 38/22** (2013.01 - EP US);  
**C22C 38/26** (2013.01 - EP US); **C21D 8/0226** (2013.01 - EP US); **C21D 8/0236** (2013.01 - EP US); **C21D 8/0273** (2013.01 - EP US)

Cited by

EP2246455A4; EP1818422A1; EP1818421A1; EP3670692A1; WO2020127275A1

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

**EP 1083241 A1 20010314; EP 1083241 B1 20041110**; AT E282096 T1 20041115; BR 0004032 A 20010403; BR 0004032 B1 20100406;  
DE 60015682 D1 20041216; DE 60015682 T2 20051215; ES 2233308 T3 20050616; FR 2798394 A1 20010316; FR 2798394 B1 20011026;  
PT 1083241 E 20050331; US 2002129877 A1 20020919; US 6423159 B1 20020723; US 6921440 B2 20050726

DOCDB simple family (application)

**EP 00402447 A 20000906**; AT 00402447 T 20000906; BR 0004032 A 20000906; DE 60015682 T 20000906; ES 00402447 T 20000906;  
FR 9911257 A 19990909; PT 00402447 T 20000906; US 65811000 A 20000908; US 9700802 A 20020314