

Title (en)

Phase transformation controlled and nitride precipitation hardened heat treated steel

Title (de)

Umwandlungskontrollierter Nitrid-ausscheidungshärtender Vergütungsstahl

Title (fr)

Acier de traitement à durcissement par precipitation des nitrides et à transformation contrôlée

Publication

**EP 1215299 B1 20050309 (DE)**

Application

**EP 01128805 A 20011204**

Priority

DE 10063117 A 20001218

Abstract (en)

[origin: EP1215299A2] Heat-treatable steel contains (in wt.%): 15-18 Cr, maximum 0.5 Mn, 4-10 Ni, maximum 15 Co, maximum 4 W, maximum 4 Mo, 0.5-1 V, 0.001-0.1 of one of Nb, Ta, Hf, and Zr, 0.001-0.05 Ti, maximum 0.5 Si, maximum 0.05 C, 0.13-0.25 N, maximum 4 Cu and a balance of Fe. The weight ratio of V to N is 3.5-4.2. An Independent claim is also included for a process for heat treating a heat-treatable steel comprises solution annealing at 1,050-1,250 degrees C for 0.2-10 hours, cooling in air to room temperature, intermediate annealing at 640-780 degrees C for 0.2-10 hours and tempering at 570-630 degrees C for 0.2- hours. Preferably the steel contains (in wt.%) 1-10 Co, 0.5-1.5 Cu, 15.5-16.5 Cr, maximum 0.02 C, 0.5-0.7 V, 0.16-0.20 N, 0.01-0.07 Nb, 1.5-3 Mo, 0.02-0.4 Mn and 0.02-0.25 Si.

IPC 1-7

**C22C 38/46**; **C22C 38/52**; **C21D 6/02**; **C21D 6/00**

IPC 8 full level

**C21D 1/78** (2006.01); **C21D 6/00** (2006.01); **C21D 6/02** (2006.01); **C22C 38/00** (2006.01); **C22C 38/42** (2006.01); **C22C 38/44** (2006.01); **C22C 38/46** (2006.01); **C22C 38/48** (2006.01); **C22C 38/52** (2006.01)

CPC (source: EP US)

**C21D 1/78** (2013.01 - EP US); **C21D 6/004** (2013.01 - EP US); **C22C 38/001** (2013.01 - EP US); **C22C 38/42** (2013.01 - EP US); **C22C 38/44** (2013.01 - EP US); **C22C 38/46** (2013.01 - EP US); **C22C 38/48** (2013.01 - EP US); **C22C 38/52** (2013.01 - EP US)

Designated contracting state (EPC)

DE GB

DOCDB simple family (publication)

**EP 1215299 A2 20020619**; **EP 1215299 A3 20031210**; **EP 1215299 B1 20050309**; CN 1252305 C 20060419; CN 1368560 A 20020911; DE 10063117 A1 20030618; DE 50105523 D1 20050414; US 2002139449 A1 20021003; US 6592685 B2 20030715

DOCDB simple family (application)

**EP 01128805 A 20011204**; CN 01143710 A 20011218; DE 10063117 A 20001218; DE 50105523 T 20011204; US 211701 A 20011205