

Title (en)

USE OF A STEEL ALLOY FOR PRODUCING HIGH-TENSILE SEAMLESS STEEL TUBES

Title (de)

VERWENDUNG EINER STAHLLEGIERUNG ZUR HERSTELLUNG HOCHFESTER NAHTLOSER STAHLROHRE

Title (fr)

UTILISATION D'UN ALLIAGE D'ACIER POUR PRODUIRE DES TUBES D'ACIER SANS JOINT A RESISTANCE ELEVEE

Publication

**EP 1218559 A2 20020703 (DE)**

Application

**EP 00965759 A 20000814**

Priority

- DE 0002787 W 20000814
- DE 19942641 A 19990830

Abstract (en)

[origin: DE19942641A1] The invention relates to the use of a steel alloy that contains (in % by weight):C 0.12-0.25 %; Si </= 0.40 %; Mn 1.20-1.80 %; P </= 0.025 %; S </= 0.010 %; Al 0.01-0.06 %; Cr 0.20-0.50 %; Mo 0.20-0.50 %; V 0.03-0.10 %; Cu </= 0.20 %; N </= 0.02 %, remainder iron and usual impurities, for producing high-tensile, weldable seamless steel tubes to be used as constructional tubes. The steel tubes are hot-rolled and are then quenched and tempered. The invention is especially characterized in that the steel alloy additionally contains 0.30-1.00 % W and that the Ni content possibly present in the alloy does not exceed 0.20 %.

IPC 1-7

**C22C 38/22; C22C 38/38; C22C 38/24; C21D 9/08**

IPC 8 full level

**C21D 9/08** (2006.01); **C22C 38/12** (2006.01); **C22C 38/22** (2006.01); **C22C 38/24** (2006.01); **C22C 38/38** (2006.01); **C21D 8/10** (2006.01)

CPC (source: EP US)

**C22C 38/12** (2013.01 - EP US); **C22C 38/22** (2013.01 - EP US); **C22C 38/24** (2013.01 - EP US); **C22C 38/38** (2013.01 - EP US);  
**C21D 8/10** (2013.01 - EP US)

Citation (search report)

See references of WO 0116391A2

Cited by

CN105986190A; CN109097707A

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

**DE 19942641 A1 20010322**; DE 50002289 D1 20030626; EP 1218559 A2 20020703; EP 1218559 B1 20030521; ES 2199865 T3 20040301;  
MX PA02001916 A 20030721; US 2002150497 A1 20021017; WO 0116391 A2 20010308; WO 0116391 A3 20010830

DOCDB simple family (application)

**DE 19942641 A 19990830**; DE 0002787 W 20000814; DE 50002289 T 20000814; EP 00965759 A 20000814; ES 00965759 T 20000814;  
MX PA02001916 A 20000814; US 8548802 A 20020228