

Title (en)
Railway wheel alloy

Title (de)
Eisenbahnradlegierung

Title (fr)
Alliage de roue ferroviaire

Publication
EP 1241277 A3 20030319 (EN)

Application
EP 02251512 A 20020305

Priority
US 79808101 A 20010305

Abstract (en)
[origin: EP1241277A2] A steel alloy, particularly adapted for the manufacture of railway wheels is provided. Such alloy comprises essentially, in weight percentage, carbon 0.67 - 0.77, manganese 0.70-0.85, silicon 0.65 - 0.85, phosphorus less than 0.025, sulfur less than 0.025, chromium 0.18 - 0.25, molybdenum 0.08 - 0.12, with the balance essentially iron. Another lower carbon alloy comprises essentially, in weight percentage, carbon 0.16-0.45, manganese 0.90-1.10, silicon 0.50-0.70, phosphorous less than 0.035, sulfur less than 0.035, nickel 1.0-1.5, chromium 0.40-0.60 and molybdenum 0.40-0.60.

IPC 1-7
C22C 38/00; B60B 3/06

IPC 8 full level
B60B 17/00 (2006.01); **C22C 38/00** (2006.01); **C22C 38/08** (2006.01); **C22C 38/12** (2006.01); **C22C 38/22** (2006.01); **C22C 38/44** (2006.01)

CPC (source: EP US)
B60B 17/0006 (2013.01 - EP US); **C22C 38/08** (2013.01 - EP US); **C22C 38/12** (2013.01 - EP US); **C22C 38/22** (2013.01 - EP US); **C22C 38/44** (2013.01 - EP US); **Y02T 10/86** (2013.01 - EP US)

Citation (search report)

- [A] EP 0469560 A1 19920205 - BURLINGTON NORTHERN RAILROAD [US], et al
- [A] US 4767475 A 19880830 - FUKUDA KOZO [JP], et al
- [X] DE 19837311 A1 20000302 - FAG OEM & HANDEL AG [DE]
- [A] US 4933024 A 19900612 - FUKUDA KOZO [JP], et al
- [A] PATENT ABSTRACTS OF JAPAN vol. 007, no. 281 (C - 200) 15 December 1983 (1983-12-15)
- [A] ED. J.R. DAVIS: "Carbon and Alloy Steels", March 1996, ASM INTERNATIONAL, USA, XP002210482
- [A] C.W. WEGST: "STAHLSCHLÜSSEL", 2001, VERLAG STAHLSCHLÜSSEL WEGST GMBH, GERMANY, XP002210483
- [A] PATENT ABSTRACTS OF JAPAN vol. 007, no. 046 (C - 153) 23 February 1983 (1983-02-23)
- [A] PATENT ABSTRACTS OF JAPAN vol. 013, no. 423 (C - 638) 20 September 1989 (1989-09-20)
- [X] PATENT ABSTRACTS OF JAPAN vol. 1999, no. 10 31 August 1999 (1999-08-31)
- [X] PATENT ABSTRACTS OF JAPAN vol. 1997, no. 12 25 December 1997 (1997-12-25)
- [X] PATENT ABSTRACTS OF JAPAN vol. 1996, no. 01 31 January 1996 (1996-01-31)
- [A] PATENT ABSTRACTS OF JAPAN vol. 2000, no. 10 17 November 2000 (2000-11-17)
- [A] PATENT ABSTRACTS OF JAPAN vol. 1995, no. 02 31 March 1995 (1995-03-31)
- [A] PATENT ABSTRACTS OF JAPAN vol. 1995, no. 02 31 March 1995 (1995-03-31)
- [A] PATENT ABSTRACTS OF JAPAN vol. 1995, no. 03 28 April 1995 (1995-04-28)

Cited by
EP2272686A1; EP1538231A1; WO2013079438A1

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)
EP 1241277 A2 20020918; **EP 1241277 A3 20030319**; **EP 1241277 B1 20051221**; AU 2033002 A 20020912; AU 780209 B2 20050310; BR 0200655 A 20021210; BR 0200655 B1 20100629; CA 2374394 A1 20020905; CA 2374394 C 20060606; CN 1272459 C 20060830; CN 1374206 A 20021016; CZ 2002796 A3 20021016; CZ 303508 B6 20121031; DE 60208099 D1 20060126; DE 60208099 T2 20060629; ES 2254610 T3 20060616; JP 2002256383 A 20020911; JP 3618322 B2 20050209; MX PA02002317 A 20050816; RO 121038 B1 20061130; US 2002122740 A1 20020905; US 6783610 B2 20040831; ZA 200201812 B 20020926

DOCDB simple family (application)
EP 02251512 A 20020305; AU 2033002 A 20020305; BR 0200655 A 20020305; CA 2374394 A 20020304; CN 02106832 A 20020305; CZ 2002796 A 20020304; DE 60208099 T 20020305; ES 02251512 T 20020305; JP 2002057794 A 20020304; MX PA02002317 A 20020301; RO 200200242 A 20020304; US 79808101 A 20010305; ZA 200201812 A 20020305