

Title (en)

AUSTENITIC NICKEL/CHROME/COBALT/MOLYBDENUM/TUNGSTEN ALLOY AND USE THEREOF

Title (de)

AUSTENITISCHE NICKEL-CHROM-COBALT-MOLYBDÄN-WOLFRAM-LEGIERUNG UND DEREN VERWENDUNG

Title (fr)

ALLIAGE AUSTENITIQUE NICKEL-CHROME-COBALT-MOLYBDENE-TUNGSTENE ET SON UTILISATION

Publication

EP 1327006 B1 20040414 (DE)

Application

EP 01972053 A 20010913

Priority

- DE 10052023 A 20001020
- EP 0110557 W 20010913

Abstract (en)

[origin: WO0234955A1] The invention relates to an austenitic nickel/chrome/cobalt/molybdenum/tungsten alloy, comprising (in mass %):carbon: 0.05 to 0.10 %; chromium: 21 to 23 %; cobalt: 10 to 15 %; molybdenum: 10 to 11 %; aluminium: 1.0 to 1.5 %; tungsten: 5.1 to 8.0 %; yttrium: 0.01 to 0.10 %; boron: 0.001 to 0.010 %; titanium: max. 0.50 %; silicon: max. 0.50 %; iron: max. 2 %; manganese: max. 0.5 %; nickel: remainder; including unavoidable impurities caused by the smelting process.

IPC 1-7

C22C 19/05

IPC 8 full level

C22C 19/05 (2006.01); **F01D 5/28** (2006.01); **F01D 25/00** (2006.01); **F02B 39/00** (2006.01); **F02C 7/00** (2006.01)

CPC (source: EP KR US)

C22C 19/05 (2013.01 - KR); **C22C 19/055** (2013.01 - EP US)

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)

WO 0234955 A1 20020502; AT E264407 T1 20040415; AU 9185801 A 20020506; CA 2423932 A1 20030327; DE 10052023 C1 20020516; DE 50102012 D1 20040519; EP 1327006 A1 20030716; EP 1327006 B1 20040414; HU P0302641 A2 20031128; HU P0302641 A3 20050428; JP 2004530789 A 20041007; KR 20030043991 A 20030602; US 2004101433 A1 20040527

DOCDB simple family (application)

EP 0110557 W 20010913; AT 01972053 T 20010913; AU 9185801 A 20010913; CA 2423932 A 20010913; DE 10052023 A 20001020; DE 50102012 T 20010913; EP 01972053 A 20010913; HU P0302641 A 20010913; JP 2002537923 A 20010913; KR 20037004932 A 20030407; US 39980203 A 20030421