

Title (en)
PROCESS FOR PRODUCING HIGH-NITROGEN ULTRALOW-CARBON STEEL

Title (de)
VERFAHREN ZUR HERSTELLUNG VON HOCHSTICKSTOFFHALTIGEM STAHL MIT EXTREM NIEDRIGEM KOHLENSTOFFGEHALT

Title (fr)
PROCEDE SERVANT A FABRIQUER UN ACIER POSSEDANT UNE TENEUR ELEVEE EN AZOTE ET EXTREMEMENT BASSE EN CARBONE

Publication
EP 1342798 A1 20030910 (EN)

Application
EP 01270629 A 20011212

Priority
• JP 0110876 W 20011212
• JP 2000379355 A 20001213
• JP 2001000424 A 20010105

Abstract (en)
A method of producing a high nitrogen, ultra low carbon steel suitable to rolling material for use in cold rolled steel sheets having excellent age hardening property by an age hardening treatment after forming by working, with no defects in slabs or steel sheets, reliably, at a reduced cost and with a high productivity is proposed. <??>The method for producing a rolling material for use in ultra low carbon steel sheets at: $C \leq 0.0050$ mass % comprises; applying primary decarburization refining to molten iron from a blast furnace, then controlling the composition in the molten steel after primary decarburization refining to a range satisfying the following relation: $\langle DF \rangle \cdot \text{mass}\%N \cdot 0.15 \cdot \text{mass}\%C \geq 0.0060$, </DF> subsequently conducting secondary decarburization refining to a ultra low carbon concentration region while suppressing denitridation using a vacuum degassing facility, then conducting deoxidation by Al and, further, controlling the composition such that $\text{mass}\%Al \cdot \text{mass}\%N \leq 0.0004$, N: 0.0050 to 0.0250 mass% and, preferably, with the amount of solid solute N being at a predetermined amount or more and then casting the molten steel continuously. <IMAGE>

IPC 1-7
C21C 7/068; **C21C 7/072**; **C21C 7/10**

IPC 8 full level
C21C 7/04 (2006.01); **C21C 7/068** (2006.01); **C21C 7/10** (2006.01); **C22C 38/00** (2006.01); **C22C 38/04** (2006.01)

CPC (source: EP KR US)
C21C 7/04 (2013.01 - EP US); **C21C 7/06** (2013.01 - KR); **C21C 7/068** (2013.01 - EP KR US); **C21C 7/10** (2013.01 - EP KR US); **C22C 38/001** (2013.01 - EP US); **C22C 38/004** (2013.01 - EP US); **C22C 38/04** (2013.01 - EP US)

Cited by
DE102014112286A1; CN102399945A; DE102014116929B3; US10920309B2; EP3736348A1; EP3736348B1

Designated contracting state (EPC)
DE FR GB IT

DOCDB simple family (publication)
US 2003061908 A1 20030403; **US 6764528 B2 20040720**; CA 2399936 A1 20020620; CA 2399936 C 20091229; CN 1318612 C 20070530; CN 1422337 A 20030604; DE 60113451 D1 20051020; DE 60113451 T2 20060119; EP 1342798 A1 20030910; EP 1342798 A4 20040630; EP 1342798 B1 20050914; EP 1342798 B9 20080227; KR 100828472 B1 20080513; KR 20020080419 A 20021023; TW 567228 B 20031221; WO 0248409 A1 20020620

DOCDB simple family (application)
US 20326802 A 20020808; CA 2399936 A 20011212; CN 01807924 A 20011212; DE 60113451 T 20011212; EP 01270629 A 20011212; JP 0110876 W 20011212; KR 20027010413 A 20020812; TW 90130957 A 20011213