

Title (en)
IRON-CHROME-ALUMINIUM-ALLOY

Title (de)
EISEN-CHROM-ALUMINIUM-LEGIERUNG

Title (fr)
ALLIAGE FER-CHROME-ALUMINIUM

Publication
EP 1381701 B1 20040825 (DE)

Application
EP 02730208 A 20020425

Priority

- DE 10120561 A 20010426
- DE 10157749 A 20011124
- EP 0204571 W 20020425

Abstract (en)
[origin: WO02088404A2] The invention relates to an iron-chrome-aluminium-alloy with a high service life, comprising (in mass %) >2 3.6 % aluminium and >10 - 20 % chrome and other added materials, 0.1 -1 % Si, max. 0.5 % Mn, 0.01 0.2 % Yttrium and/or 0.01 0.2 % Hf and/or 0.01 0.3 % Zr, max. 0.01 % Mg, max. 0.01 % Ca, max. 0.08 % carbon, max. 0.04 % nitrogen, max. 0.04 % phosphorus max. 0.01 % sulphur, max. 0.05 % copper and respectively max. 0.1 % molybdenum and/or wolfram and the usual manufacture-related impurities, the remainder being iron.

IPC 1-7
C22C 38/18

IPC 8 full level
C22C 38/00 (2006.01); **C22C 38/06** (2006.01); **C22C 38/28** (2006.01)

CPC (source: EP)
C22C 38/002 (2013.01); **C22C 38/06** (2013.01); **C22C 38/28** (2013.01)

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)
WO 02088404 A2 20021107; **WO 02088404 A3 20031106**; AT E274605 T1 20040915; AU 2002302575 A1 20021111; BR 0209166 A 20040803; BR 0209166 B1 20110111; CN 1226439 C 20051109; CN 1537177 A 20041013; EP 1381701 A2 20040121; EP 1381701 B1 20040825

DOCDB simple family (application)
EP 0204571 W 20020425; AT 02730208 T 20020425; AU 2002302575 A 20020425; BR 0209166 A 20020425; CN 02808847 A 20020425; EP 02730208 A 20020425