

Title (en)

METHOD OF THERMOPLASTIC STICKING OF FLAT ELEMENTS

Title (de)

VERFAHREN ZUM THERMOPLASTISCHEN ANKLEBEN VON FLÄCHENELEMENTEN

Title (fr)

PROCEDE DE COLLAGE THERMOPLASTIQUE D'ELEMENTS PLATS

Publication

EP 1409230 A1 20040421 (EN)

Application

EP 01960093 A 20010905

Priority

- CZ 0100047 W 20010905
- CZ 20003249 A 20000906

Abstract (en)

[origin: WO0220250A1] The method of thermoplastic sticking of flat elements has the following features: The sticking does not take place in the straight line as it happens when sticking is carried out between rotating rollers of rolling machines (mills); the sticking takes place over the whole area, without having to subject the bonded sandwich to tension. The proposed design of thermoplastic sticking of materials gives rise to an opportunity of forming new types of products closely focused on the final characteristics required. In principle, this is the method of melting-on the whole area of the sticking thermoplastic interlayer of the sandwich formed, starting on the reverse side, in an appropriate time and thermal operating mode. Very important is the use of side stops preventing the greater compression of material than required and the impression of the set sticking "interlayer" into the material, which would impair the strength of the bond. The individual elements of the product (sandwich) are bonded by means of a fusible "interlayer" all over the area. Heat is delivered from the reverse side, and the sticking "interlayer" of a suitable weight is inlaid according to the characteristics of the elements bonded and requirements for the joint strength. The whole technological and operating process is closely connected with time and thermal modes. The input and subsequently output parameters required are attained by side stops of the "press ironer", the height setting of the parameters defines the target thickness of the final product.

IPC 1-7

B29C 65/50; **B29C 65/18**

IPC 8 full level

C09J 5/00 (2006.01); **B29C 65/02** (2006.01); **B29C 65/18** (2006.01); **B32B 7/04** (2006.01); **C09J 5/06** (2006.01); **C09J 7/38** (2018.01); **D06N 7/00** (2006.01); **B29C 65/00** (2006.01); **B29C 65/50** (2006.01)

CPC (source: EP)

B29C 65/4815 (2013.01); **B29C 66/91411** (2013.01); **B29C 66/919** (2013.01); **B29C 66/949** (2013.01); **B32B 7/04** (2013.01); **B32B 37/04** (2013.01); **B29C 65/5057** (2013.01); **B29C 66/0342** (2013.01); **B29C 66/45** (2013.01); **B29C 66/71** (2013.01); **B29C 66/7294** (2013.01); **B29K 2021/00** (2013.01); **B29K 2313/00** (2013.01); **B29L 2009/00** (2013.01); **B29L 2031/7322** (2013.01); **B29L 2031/7324** (2013.01); **B32B 2305/18** (2013.01); **B32B 2471/04** (2013.01)

Citation (search report)

See references of WO 0220250A1

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)

WO 0220250 A1 20020314; AU 8170201 A 20020322; CZ 20003249 A3 20010711; CZ 288590 B6 20010711; EP 1409230 A1 20040421

DOCDB simple family (application)

CZ 0100047 W 20010905; AU 8170201 A 20010905; CZ 20003249 A 20000906; EP 01960093 A 20010905