

Title (en)

OXIDATIVELY DRYING COATING COMPOSITION

Title (de)

OXIDATIV TROCKNENDER LACK

Title (fr)

COMPOSITION DE REVETEMENT A SECHAGE OXYDATIF

Publication

EP 1440130 A1 20040728 (EN)

Application

EP 02800070 A 20020905

Priority

- EP 02800070 A 20020905
- EP 0209988 W 20020905
- EP 01203689 A 20010928

Abstract (en)

[origin: WO03029371A1] Coating composition comprising an oxidatively drying coating binder and a chelate comprising at least one group according to the following formula (I): forming a complex with a metal ion, A1 and A2 both being an aromatic residue, R1 and R3 being covalently bonded groups, and R2 being a divalent organic radical, wherein at least one solubilizing group is covalently bonded to the chelating compound. The solubilizing group is a non-polar group, preferably an aliphatic group having at least four carbon atoms, covalently bonded to A1 and/or A2. The metal ion is a divalent ion of a metal selected from the group of manganese, cobalt, copper, lead, zirconium, iron, lanthanum, cerium, vanadium, and calcium or a trivalent ion of a metal selected from the group of manganese, cobalt, lead, zirconium, iron, lanthanum, cerium, and vanadium, combined with a monovalent counterion.

IPC 1-7

C09D 167/08; C08F 299/04; C09F 9/00

IPC 8 full level

C08F 299/04 (2006.01); **C09D 167/08** (2006.01); **C09F 9/00** (2006.01)

CPC (source: EP)

C08F 299/0464 (2013.01); **C09D 167/08** (2013.01); **C09F 9/00** (2013.01)

C-Set (source: EP)

C09D 167/08 + C08L 2666/52

Citation (search report)

See references of WO 03029371A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LI LU MC NL PT SE SK TR

DOCDB simple family (publication)

WO 03029371 A1 20030410; WO 03029371 A8 20040415; EP 1440130 A1 20040728; HU P0401681 A2 20041129; PL 368373 A1 20050321

DOCDB simple family (application)

EP 0209988 W 20020905; EP 02800070 A 20020905; HU P0401681 A 20020905; PL 36837302 A 20020905