

Title (en)
RUBBER-TYPE HYDROGENATED VINYL POLYBUTADIENES

Title (de)
KAUTSCHUKARTIGE HYDRIERTE VINYL-POLYBUTADIENE

Title (fr)
VINYLE-POLYBUTADIENES HYDROGENES DE TYPE CAOUTCHOUC

Publication
EP 1633789 A1 20060315 (DE)

Application
EP 04733789 A 20040519

Priority
• EP 2004005385 W 20040519
• DE 10324304 A 20030530

Abstract (en)
[origin: US2004242797A1] The hydrogenated vinyl-polybutadienes according to the present invention have degrees of hydrogenation of from 20 to 100%, Mooney viscosities in the range of from 10 to 150 Mooney units (ML 1+4/100° C.), glass transition temperatures (Tg) of <=-57° C. and enthalpies of fusion (DeltaH) of <=30 J/g and having a microstructure with a) from 0 to 44 wt. % 1,2-vinyl-butadiene units of the formula b) from 20 to 64 wt. % 1,2-butylene units of the formula c) from 0 to 60 wt. % 1,4-butenylene units of the formula and d) from 0 to 60 wt. % 1,4-butylene units of the formula are outstandingly suitable for the production of rubber molded bodies of any kind, especially for the production of industrial rubber articles and of tires and tire components. The rubber molded bodies produced from the hydrogenated vinyl-polybutadienes according to the present invention have good resistance to ageing and good elasticity at low temperatures.

IPC 1-7
C08C 19/02; B60C 1/00; C08F 8/04

IPC 8 full level
B60C 1/00 (2006.01); **C08C 19/02** (2006.01)

CPC (source: EP US)
B60C 1/00 (2013.01 - EP US); **C08C 19/02** (2013.01 - EP US)

Citation (search report)
See references of WO 2004106386A1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)
US 2004242797 A1 20041202; **US 2005197466 A9 20050908**; **US 7176262 B2 20070213**; BR PI0410882 A 20060704;
BR PI0410882 B1 20140114; CA 2524667 A1 20041209; CN 100577690 C 20100106; CN 1798772 A 20060705; DE 10324304 A1 20041216;
EP 1633789 A1 20060315; MX PA05012945 A 20060228; TW 200508260 A 20050301; WO 2004106386 A1 20041209

DOCDB simple family (application)
US 85438504 A 20040526; BR PI0410882 A 20040519; CA 2524667 A 20040519; CN 200480014848 A 20040519; DE 10324304 A 20030530;
EP 04733789 A 20040519; EP 2004005385 W 20040519; MX PA05012945 A 20040519; TW 93115190 A 20040528