

Title (en)  
Duplex steel alloy

Title (de)  
Duplexstahllegierung

Title (fr)  
Alliage d'acier duplex

Publication  
**EP 1722002 A1 20061115 (EN)**

Application  
**EP 06113879 A 20020902**

Priority  

- EP 02763168 A 20020902
- SE 0102931 A 20010902

Abstract (en)

The present invention relates to a duplex stainless steel alloy, with high resistance to corrosion in combination with good structural stability and hotworkability. The duplex stainless steel has the following composition in percent by weight: C max 0,03% Si max 0,5% Mn 0 - 3,0% Cr 24,0 - 30,0% Ni 4,9 - 10,0% Mo 3,0 - 5,0% N 0,28 - 0,5% B 0 - 0,0030% S max 0,010% W 0 - 3,0% Cu 0 - 2,0% Ru 0 - 0,3% Al 0 - 0,03% Ca 0 - 0,010% Ti 0 - 0,35 % V 0 - 0,55 % balance Fe and normal occurring impurities

IPC 8 full level

**C22C 38/44** (2006.01); **C22C 38/00** (2006.01); **C22C 38/46** (2006.01); **C22C 38/50** (2006.01); **C22C 38/52** (2006.01); **C22C 38/54** (2006.01); **C22C 38/58** (2006.01)

CPC (source: EP KR US)

**C22C 38/005** (2013.01 - EP US); **C22C 38/44** (2013.01 - EP KR US); **C22C 38/46** (2013.01 - EP US); **C22C 38/50** (2013.01 - EP US); **C22C 38/52** (2013.01 - EP US); **C22C 38/54** (2013.01 - EP US); **C22C 38/58** (2013.01 - EP US)

Citation (search report)

- [X] EP 0220141 A2 19870429 - SANTRADE LTD [CH]
- [X] EP 0534864 A1 19930331 - SUMITOMO METAL IND [JP]
- [X] EP 0545753 A1 19930609 - SUMITOMO METAL IND [JP]
- [X] US 4765953 A 19880823 - HAGENFELDT CARL P U [SE], et al
- [X] SE 514816 C2 20010430 - SANDVIK AB [SE]
- [AP] EP 1129230 A1 20010905 - SANDVIK AB [SE] & US 2001031217 A1 20011018 - BERGSTROM ORJAN [SE], et al

Cited by

EP2865776A4; EP2358918A4; AU2009329471B2; US10202675B2

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LI LU MC NL PT SE SK TR

DOCDB simple family (publication)

**WO 03020994 A1 20030313**; AT E335867 T1 20060915; AT E391192 T1 20080415; AU 2002328002 B2 20070705;  
AU 2002328002 B9 20080313; BR 0212270 A 20041013; BR 0212270 B1 20110531; CA 2459253 A1 20030313; CN 100465325 C 20090304;  
CN 1571862 A 20050126; DE 60213828 D1 20060921; DE 60213828 T2 20070301; DE 60225951 D1 20080515; DE 60225951 T2 20090409;  
DK 1423548 T3 20061204; DK 1722002 T3 20080728; EP 1423548 A1 20040602; EP 1423548 B1 20060809; EP 1722002 A1 20061115;  
EP 1722002 B1 20080402; ES 2266557 T3 20070301; ES 2300088 T3 20080601; JP 2005501969 A 20050120; JP 4234592 B2 20090304;  
KR 100989022 B1 20101020; KR 20040029142 A 20040403; KR 20090128568 A 20091215; MX PA04002017 A 20040708;  
NO 20040900 L 20040430; NO 338090 B1 20160725; OA 12657 A 20060619; PL 199387 B1 20080930; PL 368230 A1 20050321;  
SE 0102931 D0 20010902; SE 0102931 L 20030303; SE 524952 C2 20041026; US 2003086808 A1 20030508

DOCDB simple family (application)

**SE 0201564 W 20020902**; AT 02763168 T 20020902; AT 06113879 T 20020902; AU 2002328002 A 20020902; BR 0212270 A 20020902;  
CA 2459253 A 20020902; CN 02820617 A 20020902; DE 60213828 T 20020902; DE 60225951 T 20020902; DK 02763168 T 20020902;  
DK 06113879 T 20020902; EP 02763168 A 20020902; EP 06113879 A 20020902; ES 02763168 T 20020902; ES 06113879 T 20020902;  
JP 2003525691 A 20020902; KR 20047003155 A 20020902; KR 20097023792 A 20020902; MX PA04002017 A 20020902;  
NO 20040900 A 20040302; OA 1200400067 A 20020902; PL 36823002 A 20020902; SE 0102931 A 20010902; US 23272602 A 20020903