

Title (en)
NOZZLE FOR USE IN CONTINUOUS CASTING

Title (de)
DÜSE ZUR VERWENDUNG BEI STRANGGUSS

Title (fr)
EMBOUDESTIN AU COULAGE EN CONTINU

Publication
EP 1736258 A4 20070926 (EN)

Application
EP 05720699 A 20050314

Priority
• JP 2005004428 W 20050314
• JP 2004073578 A 20040315
• JP 2004073580 A 20040315

Abstract (en)
[origin: EP1736258A1] Disclosed is a continuous casting nozzle having a refractory portion formed to contain a dolomite clinker and arranged to define a surface region adapted to be in contact with molten steel, which is capable of protecting a working surface of the nozzle from alumina build-up due to alumina in molten steel, while improving corrosion resistance, even during long-term continuous casting of molten steel. The refractory portion is prepared by adding a binder to a mixed material and subjecting the obtained mixture to kneading, forming and heat treatment. The mixed material comprises a dolomite clinker which has an average particle size of 0.8 mm or less and a CaO content of 50 mass % or less. The mixed material has a ratio W1/W2 of 0.33 or more, wherein W1 is a content by mass of CaO, and W2 is a content by mass of MgO. The mixed material comprises a dolomite clinker and a magnesia clinker. Alternatively, the mixed material comprises a dolomite clinker and a magnesia clinker. The mixed material has a ratio WD/WM in the range of 0.5 to 15, wherein WD is a mass% of dolomite clinker particles having a particle size of 1 mm or less in a particle size distribution of the dolomite clinker, and WM is a mass% of magnesia clinker particles having a particle size of 1 mm or less in a particle size distribution of the magnesia clinker. Further, the mixed material has a ratio W1/W2 in the range of 0.33 to 3.0, wherein W1 is a content by mass% of a CaO component in the dolomite clinker, and W2 is a content by mass% of an MgO component in the magnesia clinker.

IPC 8 full level
B22D 11/10 (2006.01); **B22D 41/54** (2006.01); **C04B 35/03** (2006.01); **C04B 35/06** (2006.01)

CPC (source: EP KR US)
B22D 11/10 (2013.01 - KR); **B22D 41/54** (2013.01 - EP KR US); **C04B 35/03** (2013.01 - EP KR US); **C04B 35/6262** (2013.01 - EP KR US)

Citation (search report)
• [PX] WO 2004082868 A1 20040930 - KROSAKIHARIMA CORP [JP], et al
• [A] US 5124288 A 19920623 - ISHIKAWA KENTARO [JP], et al
• [A] DE 19828511 A1 19991230 - DIDIER WERKE AG [DE]
• [A] WO 03092929 A1 20031113 - KROSAKIHARIMA CORP [JP], et al & EP 1504831 A1 20050209 - KROSAKIHARIMA CORP [JP], et al
• See references of WO 2005087406A1

Cited by
DE102007045106A1; EP2786975A4

Designated contracting state (EPC)
DE FR

DOCDB simple family (publication)
EP 1736258 A1 20061227; EP 1736258 A4 20070926; BR PI0508726 A 20070814; BR PI0508726 B1 20130723; JP 4410796 B2 20100203; JP WO2005087406 A1 20080124; KR 100971260 B1 20100720; KR 20070004031 A 20070105; US 2008032882 A1 20080207; US 7591976 B2 20090922; WO 2005087406 A1 20050922

DOCDB simple family (application)
EP 05720699 A 20050314; BR PI0508726 A 20050314; JP 2005004428 W 20050314; JP 2006511021 A 20050314; KR 20067021140 A 20050314; US 59265805 A 20050314