

Title (en)

METHOD FOR PRODUCTION OF SHEETS OF AUSTENITIC IRON/CARBON/MANGANESE STEEL AND SHEETS PRODUCED THUS

Title (de)

VERFAHREN ZUR HERSTELLUNG VON BLECHEN AUS AUSTENITISCHEM EISEN-KARBON-MANGAN-STAHL UND AUF DIESE WEISE HERGESTELLTE BLECHE

Title (fr)

PROCEDE DE FABRICATION DE TOLES D' ACIER AUSTENITIQUE FER-CARBONE-MANGANESE ET TOLES AINSI PRODUITES

Publication

EP 1805333 A1 20070711 (FR)

Application

EP 05809150 A 20051010

Priority

- FR 2005002492 W 20051010
- FR 0411189 A 20041020

Abstract (en)

[origin: WO2006042931A1] The invention relates to a method for production of a cold-laminated sheet of stainless austenitic iron/carbon/manganese steel, comprising the following steps: a sheet is provided, the chemical composition of which is, by weight, $0.35\% < C < 1.05\%$, $16\% < Mn < 24\%$, the remainder being iron and unavoidable production impurities, said sheet is cold-laminated, a recrystallisation annealing is carried out on said sheet in a furnace, containing a gas selected from the gases which are reducing with relation to iron, the annealing parameters being selected such that said sheet is covered on both faces with a sub-layer of essentially amorphous oxide $(FeMn)O$ and an outer layer of crystalline manganese oxide MnO , the total thickness of the two layers being greater than or equal to 0.5 micrometers.

IPC 8 full level

C21D 8/02 (2006.01); **C21D 6/00** (2006.01); **C22C 38/04** (2006.01)

CPC (source: EP KR US)

C21D 6/005 (2013.01 - EP US); **C21D 8/02** (2013.01 - KR); **C21D 8/0205** (2013.01 - EP US); **C22C 38/02** (2013.01 - EP US);
C22C 38/04 (2013.01 - EP US); **C21D 8/0278** (2013.01 - EP US)

Citation (search report)

See references of WO 2006042931A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

Designated extension state (EPC)

AL BA HR MK YU

DOCDB simple family (publication)

FR 2876708 A1 20060421; **FR 2876708 B1 20061208**; BR PI0516240 A 20080826; BR PI0516240 B1 20160726; CA 2584455 A1 20060427; CA 2584455 C 20110201; CN 101263233 A 20080910; CN 101263233 B 20101103; EP 1805333 A1 20070711; JP 2008517158 A 20080522; JP 5007231 B2 20120822; KR 101004268 B1 20110103; KR 20070084352 A 20070824; MX 2007004723 A 20070615; RU 2007118635 A 20081127; RU 2354716 C2 20090510; US 2008053580 A1 20080306; US 7976650 B2 20110712; WO 2006042931 A1 20060427; ZA 200703344 B 20080430

DOCDB simple family (application)

FR 0411189 A 20041020; BR PI0516240 A 20051010; CA 2584455 A 20051010; CN 200580041866 A 20051010; EP 05809150 A 20051010; FR 2005002492 W 20051010; JP 2007537322 A 20051010; KR 20077011317 A 20051010; MX 2007004723 A 20051010; RU 2007118635 A 20051010; US 57753905 A 20051010; ZA 200703344 A 20070423