

Title (en)

METHOD FOR PRODUCING AND USING A NICKEL-BASED SEMI-FINISHED PRODUCT HAVING A RECRYSTALLISATION CUBE STRUCTURE

Title (de)

VERFAHREN ZUR HERSTELLUNG UND VERWENDUNG VON HALBZEUG AUF NICKELBASIS MIT REKRISTALLISATIONSWÜRFELTEXTUR

Title (fr)

PROCEDE DE FABRICATION ET D'UTILISATION D'UN DEMI-PRODUIT A BASE DE NICKEL PRESENTANT UNE TEXTURE CUBIQUE DE RECRYSTALLISATION

Publication

EP 1922426 A1 20080521 (DE)

Application

EP 06725088 A 20060315

Priority

- EP 2006060774 W 20060315
- DE 102005013368 A 20050316

Abstract (en)

[origin: DE102005013368B3] A blank starting product is made via a melt- or powder-metallurgical route, whilst taking mechanical alloying into account. The blank comprises technically-pure nickel or nickel alloy that contains a silver addition in the micro-alloy range of 10 atom ppm to 1000 atom ppm. The blank product is worked initially by hot deformation, then by cold deformation. Deformation exceeds 50% thickness reduction to strip or flat wire, with an intermediate dimension. This is stress-relieved by annealing at 500-850[deg]C, the higher temperatures being used for higher silver contents. The blank is quenched. It is subjected to substantial cold deformation exceeding 80%. Recrystallization annealing follows, resulting in the fully cubic structure.

IPC 8 full level

C22C 19/03 (2006.01); **C22F 1/10** (2006.01)

CPC (source: EP KR US)

C22C 19/03 (2013.01 - KR); **C22F 1/10** (2013.01 - EP KR US); **B22F 2003/248** (2013.01 - EP US); **B22F 2998/00** (2013.01 - EP US)

Citation (search report)

See references of WO 2006097501A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

DE 102005013368 B3 20060413; CN 100523239 C 20090805; CN 101142331 A 20080312; EP 1922426 A1 20080521;
EP 1922426 B1 20140611; JP 2008533301 A 20080821; JP 5074375 B2 20121114; KR 20070112282 A 20071122;
US 2009008000 A1 20090108; US 8465605 B2 20130618; WO 2006097501 A1 20060921

DOCDB simple family (application)

DE 102005013368 A 20050316; CN 200680008476 A 20060315; EP 06725088 A 20060315; EP 2006060774 W 20060315;
JP 2008501312 A 20060315; KR 20077023661 A 20071015; US 88634806 A 20060315