

Title (en)
HIGH-DUCTILITY HIGH-CARBON STEEL WIRE

Title (de)
STARK DEHNBARER HARTSTAHLDRAHT

Title (fr)
FIL D'ACIER À TENEUR ÉLEVÉE EN CARBONE ET DE GRANDE DUCTILITÉ

Publication
EP 2025769 A4 20100818 (EN)

Application
EP 07744836 A 20070531

Priority
• JP 2007061497 W 20070531
• JP 2006153303 A 20060601

Abstract (en)
[origin: EP2025769A1] A high-carbon steel wire rod of high ductility for steel cord and the like is provided that experiences little breakage during drawing. The high-carbon steel wire rod of high ductility is a high-carbon steel wire rod fabricated by hot rolling that has a carbon content of 0.7 mass% or greater, wherein 95% or greater of the wire rod metallographic structure is pearlite structure and the maximum pearlite block size of pearlite at the core of the hot-rolled wire rod is 65 μm or less. The high-carbon steel wire rod of high ductility has a tensile strength in a range of $\{248 + 980 \times (\text{C mass}\%) \pm 40 \text{ MPa}\}$ and a reduction of area of $\{72.8 - 40 \times (\text{C mass}\%) \%$ or greater. The high-carbon steel wire rod of high ductility is characterized in that the average pearlite block size at the core of the hot-rolled wire rod constituted by ferrite grain boundaries of an orientation difference of 9 degrees or greater as measured with an EBSD analyzer is 10 μm or greater and 30 μm or less.

IPC 8 full level
C22C 38/00 (2006.01); **B21B 3/00** (2006.01); **C22C 38/04** (2006.01); **C22C 38/54** (2006.01)

CPC (source: EP KR US)
B21B 1/16 (2013.01 - KR); **C21D 8/065** (2013.01 - EP KR US); **C22C 38/001** (2013.01 - KR); **C22C 38/002** (2013.01 - EP US);
C22C 38/02 (2013.01 - EP KR US); **C22C 38/04** (2013.01 - EP KR US); **C22C 38/18** (2013.01 - EP KR US); **D07B 1/066** (2013.01 - EP US);
B21B 1/16 (2013.01 - EP US)

Citation (search report)
• [E] JP 2007131944 A 20070531 - NIPPON STEEL CORP
• [E] EP 1900837 A1 20080319 - NIPPON STEEL CORP [JP]
• [E] EP 2090671 A1 20090819 - NIPPON STEEL ENGINEERING CORP [JP]
• [L] EP 2062991 A1 20090527 - NIPPON STEEL CORP [JP]
• See references of WO 2007139234A1

Citation (examination)
• US 2003079815 A1 20030501 - HATA HIDEO [JP], et al
• US 5458699 A 19951017 - TSUKAMOTO TAKASHI [JP], et al

Cited by
CN103415637A; EP2687619A4; EP2905353A4; EP3165626A4; US10487379B2; US9255306B2

Designated contracting state (EPC)
BE DE FR GB IT LU

DOCDB simple family (publication)
EP 2025769 A1 20090218; EP 2025769 A4 20100818; BR PI0702892 A2 20110315; BR PI0702892 B1 20141118; CA 2617381 A1 20071206;
CA 2617381 C 20130917; CN 101341270 A 20090107; CN 101341270 B 20120418; JP 5092749 B2 20121205; JP WO2007139234 A1 20091015;
KR 101018054 B1 20110302; KR 20080017433 A 20080226; US 2009087336 A1 20090402; US 2011284139 A1 20111124;
WO 2007139234 A1 20071206

DOCDB simple family (application)
EP 07744836 A 20070531; BR PI0702892 A 20070531; CA 2617381 A 20070531; CN 200780000792 A 20070531; JP 2007061497 W 20070531;
JP 2007541531 A 20070531; KR 20087000099 A 20070531; US 201113134210 A 20110531; US 98967607 A 20070531