

Title (en)
PROCESS FOR PREPARING AN AQUEOUS POLYMER DISPERSION

Title (de)
VERFAHREN ZUR HERSTELLUNG EINER WÄSSRIGEN POLYMERISATDISPERSION

Title (fr)
PROCÉDÉ DE FABRICATION D'UNE DISPERSION POLYMÈRE AQUEUSE

Publication
EP 2066701 A1 20090610 (DE)

Application
EP 07803379 A 20070910

Priority

- EP 2007059462 W 20070910
- EP 06120685 A 20060914
- EP 07803379 A 20070910

Abstract (en)
[origin: EP1900756A1] A method for the production of aqueous polymer dispersions by radical emulsion copolymerisation of 4-40C alkenes with unsaturated carboxylate esters in presence of a macromolecular host compound with a hydrophobic cavity and a hydrophilic shell, involves putting at least 50 wt.% of the host compound, at least 50 wt.% of the alkene monomer and optionally up to 10 wt.% of the other comonomer(s) in the reactor before initiating polymerisation and adding the rest during polymerisation. A method for the production of aqueous polymer dispersions (I) by emulsion polymerisation of unsaturated monomers in presence of dispersants, radical initiators and water-soluble macromolecular host compounds, using a monomer mixture comprising (A) 1-50 wt.% 4-40C alkene, (B) 50-99 wt.% 1-12C alkyl ester of a 3-6C alpha ,beta -mono-unsaturated mono- or di-carboxylic acid, (C) 0-10 wt.% 3-6C mono-unsaturated mono- or di-carboxylic acid and/or amide and (D) 0-25 wt.% other unsaturated monomers, and using a host compound (II) with a hydrophobic cavity and a hydrophilic shell in amounts of 0.1-20 wt.% based on total monomer content. In this method, at least 50 wt.% of compound (II), at least 50 wt.% of the total amount of monomer (A) and optionally up to 10 wt.% of each of the monomers (B)-(D) are put into the reactor before initiation and the rest of (II) and/or (A) is/are added under polymerisation conditions, plus the rest or all of (B)-(D). Independent claims are also included for (1) aqueous polymer dispersions (I) obtained by this method (2) adhesives and contact adhesives containing (I) (3) substrates coated with these adhesives .

IPC 8 full level
C08F 2/22 (2006.01); **C08F 210/14** (2006.01); **C08F 251/02** (2006.01); **C08F 257/02** (2006.01); **C09J 123/00** (2006.01); **C09J 151/00** (2006.01); **C09J 151/02** (2006.01)

CPC (source: EP US)
C08F 2/22 (2013.01 - EP US); **C08F 210/14** (2013.01 - EP US); **C08L 51/003** (2013.01 - EP US); **C08L 51/02** (2013.01 - EP US); **C09J 151/003** (2013.01 - EP US); **C09J 151/02** (2013.01 - EP US); **C08L 2666/02** (2013.01 - EP US)

Citation (search report)
See references of WO 2008031790A1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC MT NL PL PT RO SE SI SK TR

Designated extension state (EPC)
AL BA HR MK RS

DOCDB simple family (publication)
EP 1900756 A1 20080319; CN 101522724 A 20090902; EP 2066701 A1 20090610; US 2009275681 A1 20091105; WO 2008031790 A1 20080320

DOCDB simple family (application)
EP 06120685 A 20060914; CN 200780038354 A 20070910; EP 07803379 A 20070910; EP 2007059462 W 20070910; US 44114307 A 20070910