

Title (en)

A PROCESS FOR PRODUCING FIBER OF ULTRA HIGH MOLECULAR WEIGHT POLYETHYLENE

Title (de)

VERFAHREN ZUR HERSTELLUNG VON FASERN AUS POLYETHYLEN MIT ULTRAHOHEM MOLEKULARGEWICHT

Title (fr)

PROCÉDÉ DE PRODUCTION DE FIBRE DE POLYÉTHYLÈNE DE MASSE MOLÉCULAIRE TRÈS ÉLEVÉE

Publication

**EP 2080824 B1 20100818 (EN)**

Application

**EP 07816520 A 20071009**

Priority

- CN 2007002906 W 20071009
- CN 200610118076 A 20061108
- CN 200610147424 A 20061218
- CN 200710040678 A 20070515
- CN 200710043831 A 20070716

Abstract (en)

[origin: EP2080824A1] A process for producing fiber of ultra high molecular weight polyethylene, with a flat cross-section and high cohesiveness, is disclosed. The process includes: distributing the powder of UHMWPE into a solvent evenly; preparing an uniform emulsion mixture by properly untangling with high shear; at the same time adding polar polymer comprising polar groups, for example a carboxyl group, a carbonyl group, an ether group, or an ester group and so on; evenly distributing the polar polymer together with the polyethylene powder in the solvent to form an uniform emulsion mixture; forming a gel filament from the emulsion mixture by gel spinning method, then extracting, drying, and stretching so as to obtain the UHMWPE fiber, with a flat cross section, high strength and cohesiveness. By properly untangling, the swelling and dissolving of the ultra high molecular weight polyethylene can be accelerated, while the polar polymer being evenly distributed therein can significantly improve the adhesive property of the fiber. The operations in the production method are easy, and furthermore, time, labor and cost can be saved. The section of the fiber is of a flat rectangle shape and the wall is thin and even, so the path for the solvent in the fiber diffusing out of the gel filament can be significantly shorten, and thus the efficiency of extraction and the uniformity of the fiber can be improved.

IPC 8 full level

**D01F 6/46** (2006.01); **D01D 1/02** (2006.01); **D01D 5/06** (2006.01)

CPC (source: EP US)

**D01D 1/02** (2013.01 - EP US); **D01D 5/253** (2013.01 - EP US); **D01F 6/46** (2013.01 - EP US); **Y10T 428/298** (2015.01 - EP US)

Cited by

CN109161978A; CN112111802A; CN102534838A; EP2505697A4; CN112281237A; CN109666976A; CN104790050A; US9365953B2; US8747715B2; US9556537B2

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC MT NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

**EP 2080824 A1 20090722**; **EP 2080824 A4 20091223**; **EP 2080824 B1 20100818**; AT E478178 T1 20100915; DE 602007008600 D1 20100930; US 2010233480 A1 20100916; WO 2008055405 A1 20080515

DOCDB simple family (application)

**EP 07816520 A 20071009**; AT 07816520 T 20071009; CN 2007002906 W 20071009; DE 602007008600 T 20071009; US 29920507 A 20071009