

Title (en)  
SILANE-SUBSTITTED RAFT-REAGENTS AND SILANE-CROSS-LINKABLE POLYMERS

Title (de)  
SILAN-SUBSTITUIERTE RAFT-REAGENZIEN UND SILAN-VERNETZBARE POLYMERE

Title (fr)  
RÉACTIFS RAFT SUBSTITUÉS PAR UN SILANE, ET POLYMÈRES RÉTICULABLES AVEC UN SILANE

Publication  
**EP 2197888 A2 20100623 (DE)**

Application  
**EP 08803927 A 20080910**

Priority  
• EP 2008061960 W 20080910  
• DE 102007000833 A 20071008

Abstract (en)  
[origin: WO2009047070A2] The invention relates to silane-substituted RAFT reagents of general formulae  $R_1-n(OR_2)_3-nSi-L_1-R_f-R_3$  (1a),  $R_1-n(OR_2)_3-nSi-L_1-R_f-L_2-Si(OR_2)_3-nR_1$  (1b), and  $R_1-n(OR_2)_3-nSi-L_1-R_f-L_2-R_f-L_3-Si(OR_2)_3-nR_1$  (1c), wherein  $R_1$ ,  $R_2$  and  $R_3$  represent, independently from each other, hydrogen atoms or monovalent C1-C20-hydrocarbon radicals, that are optionally substituted with -CN, -NCO, -NR1 2, -COOH, -COOR1, -PO(OR1) 2, -halogen, -acyl, -epoxy, -SH, -OH or CONR1 2, and in which optionally one or more, carbon atoms that are not adjacent to each other are substituted with the groups -O-, -CO-, -COO-, -OCO-, -OCOO-, CONR1 -, -S-, -CSS-, -CSO-, -COS-or NR1 -, -N= or P=, n being, respectively, a whole number having a value of between 0 to 2, L1, L2 and L3 are respectively, independent of each other, linear or cyclic, divalent C1-C20-hydrocarbon radicals, that are optionally substituted with -CN, -NCO, -NR1 2, -COOH, -COOR1, -PO(OR1) 2, -halogen, -acyl, -epoxy, -SH, -OH or CONR1 2, and in which, optionally, one or more carbon atoms that are not adjacent to each other are substituted with the groups -O-, -CO-, -COO-, -OCO-, -OCOO-, CONR1 -, -S-, -CSS-, -CSO-, -COS-or NR1 -, -N= or P=, and  $R_f$  is a divalent RAFT-reactive group. The invention also relates to silane-cross-linkable polymers that are obtained by radically initiated polymerisation of A) one or more ethylenically unsaturated monomers selected from the group consisting of (meth) acryl acid ester, vinyl ester, vinyl aromates, olefine, 1,3-diene, vinyl halogen and vinyl ether, and optionally B) one or more ethylenically unsaturated auxiliary monomers. The invention is characterised in that polymerisation takes place in the presence of one or more silane substituted RAFT-reagents.

IPC 8 full level  
**C07F 7/18** (2006.01)

CPC (source: EP US)  
**C07F 7/1804** (2013.01 - EP US); **C08F 2/38** (2013.01 - EP US); **C08F 4/00** (2013.01 - EP US); **C08F 8/42** (2013.01 - EP US); **C08L 101/10** (2013.01 - EP US); **C09K 3/1018** (2013.01 - EP US); **C08F 2438/03** (2013.01 - EP US)

Citation (search report)  
See references of WO 2009047070A2

Designated contracting state (EPC)  
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

Designated extension state (EPC)  
AL BA MK RS

DOCDB simple family (publication)  
**DE 102007000833 A1 20090409**; CN 101821275 A 20100901; EP 2197888 A2 20100623; US 2010222504 A1 20100902; WO 2009047070 A2 20090416; WO 2009047070 A3 20090806

DOCDB simple family (application)  
**DE 102007000833 A 20071008**; CN 200880110559 A 20080910; EP 08803927 A 20080910; EP 2008061960 W 20080910; US 68198008 A 20080910