

Title (en)

Aqueous coating systems on the basis of physically dry urethane acrylates

Title (de)

Wässrige Beschichtungssysteme auf Basis physikalischer trockener Urethanacrylate

Title (fr)

Systèmes de revêtement aqueux à base d'acrylate d'uréthane physique sec

Publication

EP 2218739 B2 20200422 (DE)

Application

EP 10001017 A 20100202

Priority

DE 102009008949 A 20090213

Abstract (en)

[origin: EP2218739A1] Radiation curable, polyurethane acrylate based on aqueous dispersion (I), comprises, as structural components: (a) oligomeric or polymeric compound; (b) optionally monomeric compound with (meth)acrylate group, different from (a); (c) polyester polyol, obtained from (c1) diols and/or -triols, and (c2) di- and/or tricarboxylic acids; (d) optionally polyol, different from (a)-(c); (e) a compound with counter isocyanate-reactive group and non-ionic or ionic groups; (f) organic polyisocyanate; and (g) optionally compound with counter isocyanate-reactive group, which are different from (a)-(e). Radiation curable, polyurethane acrylate based on aqueous dispersion (I), comprises, as structural components: (a) one or more oligomeric or polymeric compound containing at least one counter isocyanate-reactive group and at least one radically copolymerizable group; (b) optionally one or more monomeric compound with hydroxy function and at least one (meth)acrylate group, where (b) is different from (a); (c) polyester polyol, obtained from (c1) 2-4C aliphatic diols with two hydroxy functions and/or aliphatic triols, and (c2) aromatic di- and/or tricarboxylic acids; (d) optionally polyol, different from (a)-(c); (e) one or more compound with at least one counter isocyanate-reactive group and additionally non-ionic or ionic or groups for forming ionic groups that exhibit an effect of dispersing (I); (f) organic polyisocyanate; and (g) optionally compound containing at least one counter isocyanate-reactive group, which are different from (a)-(e). Independent claims are included for: (1) preparing (I) comprising reacting (a)-(e) in one or more reaction steps with (f), preferably polyurethane acrylate prepolymer, where a neutralizing agent is added for producing ionic groups necessary for dispersing process, before, during or after the prepolymer production, followed by a dispersing step comprising adding water to the prepolymer and/or transferring the prepolymer in an aqueous template, before, during or after dispersing a chain extender, using (g); and (2) a coating agent comprising (I), a crosslinker based on amino resins, blocked polyisocyanates, non-blocked polyisocyanate, polyaziridines, polycarbodiimides, and/or one or more other dispersions.

IPC 8 full level

C08G 18/08 (2006.01); **C08G 18/42** (2006.01); **C08G 18/67** (2006.01); **C09D 175/16** (2006.01)

CPC (source: EP KR US)

C08G 18/0823 (2013.01 - EP US); **C08G 18/4211** (2013.01 - EP KR US); **C08G 18/4213** (2013.01 - EP KR US);

C08G 18/672 (2013.01 - EP KR US); **C08L 33/06** (2013.01 - KR); **C08L 75/04** (2013.01 - KR); **C09D 133/08** (2013.01 - KR);

C09D 175/16 (2013.01 - EP KR US); **C09D 179/04** (2013.01 - KR); **C09J 133/04** (2013.01 - KR); **C09J 175/16** (2013.01 - KR)

Cited by

CN102603990A; US9676894B2; US9790317B2; WO2011107398A1; WO2014016294A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR

DOCDB simple family (publication)

EP 2218739 A1 20100818; EP 2218739 B1 20120905; EP 2218739 B2 20200422; CN 101805511 A 20100818; CN 101805511 B 20140910; DE 102009008949 A1 20100819; ES 2392810 T3 20121214; ES 2392810 T5 20201229; JP 2010202869 A 20100916; JP 5627900 B2 20141119; KR 101714785 B1 20170309; KR 20100092907 A 20100823; PL 2218739 T3 20130131; TW 201038605 A 20101101; TW I480300 B 20150411; US 2010210757 A1 20100819

DOCDB simple family (application)

EP 10001017 A 20100202; CN 201010118666 A 20100212; DE 102009008949 A 20090213; ES 10001017 T 20100202; JP 2010028900 A 20100212; KR 20100013322 A 20100212; PL 10001017 T 20100202; TW 99104540 A 20100212; US 70480410 A 20100212