

Title (en)
METHOD FOR THE HARDENED GALVANISATION OF A STEEL STRIP

Title (de)
VEFAHREN ZUM FEUERVERZINKEN VON STAHLBLECHEN

Title (fr)
PROCÉDÉ DE GALVANISATION AU TREMPÉ D'UNE BANDE D'ACIER

Publication
EP 2240620 B1 20141126 (FR)

Application
EP 08761863 A 20080208

Priority
FR 2008000163 W 20080208

Abstract (en)
[origin: WO2009098362A1] The invention relates to a method for the hardened galvanisation of a continuously-running rolled steel strip, in which the strip is immersed in a coating tank containing a bath of a liquid metal mixture, e.g. zinc and aluminium, to be deposited on the strip, and permanently circulated between said coating tank and a preparation device, in which the temperature of the liquid mixture is deliberately lowered in order to reduce the iron solubility threshold and sufficiently high for initiating, in said preparation device, the fusion of at least one Zn-Al ingot in an amount necessary for compensating for the liquid mixture used for deposition on the strip. The device is implemented so that the circuit for circulating the liquid mixture is thermally optimised.

IPC 8 full level
C23C 2/00 (2006.01)

CPC (source: EP US)
C23C 2/00344 (2022.08 - EP US); **C23C 2/0038** (2022.08 - EP US); **C23C 2/06** (2013.01 - US); **C23C 2/40** (2013.01 - US);
C23C 2/521 (2022.08 - EP US); **C23C 2/522** (2022.08 - EP US)

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

DOCDB simple family (publication)
WO 2009098362 A1 20090813; AU 2008350133 A1 20090813; AU 2008350133 B2 20121122; BR PI0822294 A2 20210406;
CA 2714472 A1 20090813; CA 2714472 C 20150804; CN 101939461 A 20110105; CN 101939461 B 20130102; EP 2240620 A1 20101020;
EP 2240620 B1 20141126; ES 2529697 T3 20150224; JP 2011511165 A 20110407; JP 5449196 B2 20140319; KR 101502198 B1 20150312;
KR 20100126359 A 20101201; US 2010323095 A1 20101223; US 9238859 B2 20160119

DOCDB simple family (application)
FR 2008000163 W 20080208; AU 2008350133 A 20080208; BR PI0822294 A 20080208; CA 2714472 A 20080208;
CN 200880126495 A 20080208; EP 08761863 A 20080208; ES 08761863 T 20080208; JP 2010545517 A 20080208;
KR 20107019974 A 20080208; US 86679108 A 20080208