

Title (en)

METHOD FOR THE PRODUCTION OF AN OPTIMIZED BONDING AGENT LAYER BY MEANS OF PARTIAL EVAPORATION OF THE BONDING AGENT LAYER, AND A LAYER SYSTEM

Title (de)

VERFAHREN ZUR HERSTELLUNG EINER OPTIMIERTEN HAFTVERMITTLERSCHICHT DURCH TEILWEISE VERDAMPFUNG DER HAFTVERMITTLERSCHICHT UND EIN SCHICHTSYSTEM

Title (fr)

PROCÉDÉ DE RÉALISATION D'UNE COUCHE PROMOTRICE D'ADHÉSION OPTIMISÉE PAR ÉVAPORATION PARTIELLE DE LA COUCHE PROMOTRICE D'ADHÉSION ET SYSTÈME DE REVÊTEMENT

Publication

EP 2279282 A1 20110202 (DE)

Application

EP 09745632 A 20090407

Priority

- EP 2009054127 W 20090407
- EP 08009023 A 20080515
- EP 09745632 A 20090407

Abstract (en)

[origin: EP2119805A1] Production of a layer system (10 comprises coating a substrate (4) with a layer (7) of a MCrAlX or MCrAl alloy, where M= Ni or Co. The product is heat-treated so that chromium evaporates from the coating to give an outer layer with a reduced chromium content as compared with the inner layer (8). An independent claim is included for a layer system produced using the process in which the outer layer of the coating has a different composition to the inner layer and is not applied using a second coating method.

IPC 8 full level

C23C 4/18 (2006.01)

CPC (source: EP US)

C23C 4/18 (2013.01 - EP US); **Y02T 50/60** (2013.01 - US); **Y10T 428/12778** (2015.01 - EP US)

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK TR

Designated extension state (EPC)

AL BA RS

DOCDB simple family (publication)

EP 2119805 A1 20091118; EP 2279282 A1 20110202; US 2011143163 A1 20110616; WO 2009138299 A1 20091119

DOCDB simple family (application)

EP 08009023 A 20080515; EP 09745632 A 20090407; EP 2009054127 W 20090407; US 99227309 A 20090407