

Title (en)
MANUFACTURING METHOD OF HIGH TENACITY POLYETHYLENE FIBER AND HIGH TENACITY POLYETHYLENE FIBER PREPARED THEREBY

Title (de)
HERSTELLUNGSVERFAHREN FÜR HOCHFESTE POLYETHYLENFASER UND DADURCH HERGESTELLTE HOCHFESTE POLYETHYLENFASER

Title (fr)
PROCÉDÉ DE FABRICATION DE FIBRES DE POLYÉTHYLÈNE À HAUTE TÉNACITÉ ET FIBRES DE POLYÉTHYLÈNE À HAUTE TÉNACITÉ AINSI PRÉPARÉES

Publication
EP 2286008 A1 20110223 (EN)

Application
EP 08753618 A 20080521

Priority
• KR 2008002823 W 20080521
• KR 20080027103 A 20080324

Abstract (en)
[origin: WO2009119940A1] Disclosed are a method of manufacturing high-tenacity polyethylene fiber and high-tenacity polyethylene fiber manufactured thereby. The method includes mixing polyethylene, having a molecular weight average molecular weight ranging from 200,000 to 5,000,000, with a first solvent, which is a nonvolatile organic compound, thus obtaining a gel solution having an intrinsic viscosity of 17-23 dl/g; spinning the gel solution using a die, thus forming gel fiber; immersing the gel fiber in a second solvent, which is a liquid-phase volatile organic compound, at a high temperature close to the volatile point of the second solvent, and cooling it; and jetting the second solvent, which is a gas-phase volatile organic compound, to the cooled gel fiber, thus extracting the first solvent and drawing the gel fiber at a draw ratio of 30: 1-50: 1. Through this method, high-tenacity polyethylene fiber having superior mechanical properties, including high tenacity and high elongation and excellent chemical resistance, can be manufactured.

IPC 8 full level
D01F 6/04 (2006.01); **D01D 5/06** (2006.01); **D01D 5/12** (2006.01); **D01D 10/02** (2006.01); **D01D 10/06** (2006.01); **D01F 6/46** (2006.01)

CPC (source: EP KR)
D01D 5/06 (2013.01 - EP); **D01D 5/08** (2013.01 - KR); **D01D 5/12** (2013.01 - EP); **D01D 10/02** (2013.01 - EP); **D01D 10/06** (2013.01 - EP KR); **D01F 6/04** (2013.01 - EP KR); **D01F 6/46** (2013.01 - KR); **D10B 2321/0211** (2013.01 - KR); **D10B 2401/063** (2013.01 - KR)

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

Designated extension state (EPC)
AL BA MK RS

DOCDB simple family (publication)
WO 2009119940 A1 20091001; EP 2286008 A1 20110223; EP 2286008 A4 20120620; KR 100959867 B1 20100527; KR 20090101766 A 20090929

DOCDB simple family (application)
KR 2008002823 W 20080521; EP 08753618 A 20080521; KR 20080027103 A 20080324