

Title (en)
High-strength Ni-based wrought superalloy and manufacturing method of same

Title (de)
Hochfeste Knett-Superlegierung auf Nickelbasis und Verfahren zur Herstellung

Title (fr)
Superaliage forgeable à haute résistance à base de nickel et procédé de fabrication

Publication
EP 2298946 A3 20110928 (EN)

Application
EP 10176855 A 20100915

Priority
• JP 2009212632 A 20090915
• JP 2010205741 A 20100914

Abstract (en)
[origin: EP2298946A2] An Ni-based wrought superalloy in accordance with the present invention includes: (a) from 0.005 to 0.2 mass% of C; (b) from 0 to 1 mass% of Si; (c) from 0 to 1 mass% of Mn; (d) from 10 to 24 mass% of Cr; (e) at least one of Mo and W, the total content expressed by "[Mo content] + 0.5×[W content]" being from 5 to 17 mass%; (f) from 1 to 2 mass% of Al; (g) from 0.5 to 3.5 mass% of Ti; (h) from 0 to 10 mass% of Fe; (i) at least one of from 0.002 to 0.02 mass% of B and from 0.01 to 0.2 mass% of Zr; and (j) the balance being Ni and inevitable impurities, the Ni content being from 48 to 80 mass%. Furthermore, the Ni-based wrought superalloy has a polycrystalline body including a plurality of grains, and an average size of the grains after a heat treatment is from 72 to 289 µm. Moreover, a plurality of granular precipitations precipitate along the grain boundaries of the Ni-based wrought superalloy after the heat treatment, and an average length of the granular precipitations along the grain boundary is from 0.5 to 2.5 µm in an arbitrary cross-sectional view of the polycrystalline body.

IPC 8 full level
C22C 19/05 (2006.01); **C22F 1/10** (2006.01); **F01D 5/28** (2006.01)

CPC (source: EP)
C22C 19/055 (2013.01); **C22C 19/056** (2013.01); **C22F 1/10** (2013.01)

Citation (search report)
• [XAI] EP 1591548 A1 20051102 - DAIDO STEEL CO LTD [JP], et al
• [XAI] GB 731441 A
• [IY] WO 2009102028 A1 20090820 - JAPAN STEEL WORKS LTD [JP], et al
• [YA] GB 607616 A 19480902 - HAROLD ERNEST GRESHAM, et al
• [AD] WO 2009028671 A1 20090305 - HITACHI METALS LTD [JP], et al
• [AD] JP H10317079 A 19981202 - HITACHI LTD, et al
• [A] JP H09157779 A 19970617 - HITACHI METALS LTD
• [A] JP 2006176864 A 20060706 - HITACHI METALS LTD
• [A] JP 2006124776 A 20060518 - TOSHIBA CORP
• [A] US 3898109 A 19750805 - SHAW STUART WALTER KER
• [A] US 3976480 A 19760824 - WATANABE RIKIZO
• [A] EP 0709477 A1 19960501 - MITSUBISHI STEEL MFG [JP], et al
• [A] GB 632712 A 19491205 - INT NICKEL CO
• [A] DE 2215510 A1 19731011 - LICENTIA GMBH
• [A] US 3615906 A 19711026 - VANWANDERHAM MARVIN C, et al

Cited by
EP2860272A4; EP2703507A1; EP2423342A1; EP3444366A4; CN110468304A; CN110268078A; CN110300811A; CN115354193A; US10156259B2; US9932655B2; US10094422B2; US10107335B2; EP2664686A1; US10087989B2; US11131013B2; US11634792B2; US9541281B2; US10975700B2; DE112016006678B4; EP2703507B1

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR

Designated extension state (EPC)
BA ME RS

DOCDB simple family (publication)
EP 2298946 A2 20110323; EP 2298946 A3 20110928; JP 2011084812 A 20110428; JP 5657964 B2 20150121

DOCDB simple family (application)
EP 10176855 A 20100915; JP 2010205741 A 20100914