

Title (en)  
Finishing angle

Title (de)  
Endwinkel

Title (fr)  
Angle de finition

Publication  
**EP 2363550 A1 20110907 (EN)**

Application  
**EP 11157108 A 20110305**

Priority  
NL 2004353 A 20100306

Abstract (en)  
A from initially thin, flat metal sheet by cold deforming shaped finishing angle of which a panel (2) of singular sheet thickness contains cut perforations (4) through which plaster is pressed during temporary fixing the angle to an indoor wall in preparation of final plastering. The panel (2) has an into it by metal deforming of the metal sheet provided surface relief of pits which can be felt by the finger tips. Per 10 millimetre at least 4 pits are present. The pits have a depth or height at least 0,05 or 0,1 or 0,15 millimetre and a diameter not larger then 1, 1,5, 2, 2,5 or 3 mm and a spacing such that there are between 3 and 7, such as 4 or 5 pits per 10 mm. The angle has a nose (3) at least 0,1 or 0,15 or 0,2 millimetre lifted above the surface of both panels.

IPC 8 full level  
**E04F 13/06** (2006.01)

CPC (source: EP)  
**E04F 13/042** (2013.01); **E04F 13/06** (2013.01); **E04F 2013/063** (2013.01)

Citation (search report)  
• [XDI] US 4876837 A 19891031 - KELLY PATRICK M [US], et al  
• [XDI] US 3255561 A 19660614 - CABLE GROVER C  
• [X] EP 0324918 A1 19890726 - OLDENDORF GUNTER  
• [X] WO 2008119795 A1 20081009 - GALLOGLY VIVIAN [IE]  
• [X] US 5778617 A 19980714 - FREE GERALD R [US]  
• [X] CA 2197912 A1 19980907 - PICHETTE CARL [CA]

Cited by  
JP2019173414A

Designated contracting state (EPC)  
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)  
BA ME

DOCDB simple family (publication)  
**EP 2363550 A1 20110907**; NL 2004353 C2 20110909

DOCDB simple family (application)  
**EP 11157108 A 20110305**; NL 2004353 A 20100306