

Title (en)
DUPLEX STAINLESS STEEL PLATE HAVING EXCELLENT PRESS MOLDABILITY

Title (de)
DUPLEX-EDELSTAHLPLATTE MIT HERVORRAGENDER DRUCKFORMBARKEIT

Title (fr)
TÔLE D'ACIER INOXYDABLE DUPLEX AYANT UNE EXCELLENTE APTITUDE AU FACONNAGE À LA PRESSE

Publication
EP 2410068 B1 20190220 (EN)

Application
EP 10753622 A 20100317

Priority
• JP 2010055147 W 20100317
• JP 2009067767 A 20090319

Abstract (en)
[origin: EP2410068A1] The present invention provides a duplex stainless steel sheet with excellent press-formability which defines the ingredients of the steel, Ni balance, and austenite phase rate to obtain a 0.2% proof stress and Erichsen value equal to that of SUS304 or another austenitic stainless steel, that is, a duplex stainless steel sheet which contains, by mass%, C: 0.05% or less, Si: 0.5 to 3%, Mn: 1 to 5%, Cr: 16 to 21%, Ni: 1 to 6%, Cu: 0.5 to 3%, and N: 0.07% or less, has an Ni-bal. value given by the following formula <1> of -7.5 to -3.5, has a balance of Fe and unavoidable impurities, has an austenite phase rate of 50% to 95%, and has a balance of ferrite phases: #####Ni-bal.=30(C+N)+Ni+0.5Mn+0.3Cu-1.1(Cr+1.5Si)+8.2#####<1>

IPC 8 full level
C22C 38/00 (2006.01); **C21D 6/00** (2006.01); **C21D 8/02** (2006.01); **C21D 9/46** (2006.01); **C22C 38/34** (2006.01); **C22C 38/42** (2006.01); **C22C 38/58** (2006.01); **C22C 38/60** (2006.01)

CPC (source: EP KR US)
C21D 6/004 (2013.01 - EP KR US); **C21D 8/0236** (2013.01 - EP KR US); **C21D 9/46** (2013.01 - EP KR US); **C22C 38/001** (2013.01 - EP KR US); **C22C 38/008** (2013.01 - KR); **C22C 38/34** (2013.01 - EP KR US); **C22C 38/42** (2013.01 - EP KR US); **C22C 38/58** (2013.01 - EP KR US); **C22C 38/60** (2013.01 - KR); **C21D 2211/001** (2013.01 - EP KR US); **C21D 2211/005** (2013.01 - EP KR US); **Y10T 428/12229** (2015.01 - EP US)

Cited by
WO2017111250A1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR

DOCDB simple family (publication)
EP 2410068 A1 20120125; EP 2410068 A4 20170503; EP 2410068 B1 20190220; CN 102356173 A 20120215; CN 102356173 B 20131113; ES 2720184 T3 20190718; JP 2010222593 A 20101007; JP 5335503 B2 20131106; KR 101538750 B1 20150727; KR 20110123772 A 20111115; KR 20140102326 A 20140821; US 2012009433 A1 20120112; WO 2010107132 A1 20100923

DOCDB simple family (application)
EP 10753622 A 20100317; CN 201080012544 A 20100317; ES 10753622 T 20100317; JP 2009067767 A 20090319; JP 2010055147 W 20100317; KR 20117021742 A 20100317; KR 20147021833 A 20100317; US 201013256977 A 20100317