

Title (en)  
URETHANE RESIN COMPOSITION, COATING AGENT, URETHANE RESIN COMPOSITION FOR FORMING SURFACE LAYER OF LEATHER-LIKE SHEET, LAMINATE, AND LEATHER-LIKE SHEET

Title (de)  
URETHANHARZZUSAMMENSETZUNG, BESCHICHTUNGSBILDNER, URETHANHARZZUSAMMENSETZUNG ZUR BILDUNG EINER OBERFLÄCHENSCHICHT EINER LEDERÄHNLICHEN FOLIE, LAMINAT UND LEDERÄHNLICHE FOLIE

Title (fr)  
COMPOSITION DE RÉSINE D'URÉTHANE, AGENT DE REVÊTEMENT, COMPOSITION DE RÉSINE D'URÉTHANE POUR LA FORMATION D'UNE COUCHE DE SURFACE DE FEUILLE DE TYPE CUIR, STRATIFIÉ ET FEUILLE DE TYPE CUIR

Publication  
**EP 2602273 A1 20130612 (EN)**

Application  
**EP 11814354 A 20110524**

Priority  
• JP 2010177350 A 20100806  
• JP 2011061846 W 20110524

Abstract (en)  
A problem to be solved by the present invention is to provide a urethane resin composition capable of forming a film having excellent adhesiveness to an adhesive, a putty material, and the like and having excellent durability such as moisture-heat resistance, hydrolysis resistance, and the like. The present invention relates to a urethane resin composition containing a urethane resin (C) produced by reacting a polyol (A) with a polyisocyanate (B), the polyol (A) containing a polyether polyol (a1), which has an oxyethylene structure (a1-1) and an oxyalkylene structure (a1-2) other than the oxyethylene structure (a1-1), and a polyoxytetramethylene glycol (a2) and/or a polycarbonatediol (a3), wherein the polyether polyol has a ratio by mass [(a1-1)/(a1-2)] of the oxyethylene structure (a1-1) to the oxyalkylene structure (a1-2) in a range of 3/7 to 9/1, and the ratio by mass of the polyether polyol (a1) is 10% by mass to 50% by mass.

IPC 8 full level  
**C08G 18/48** (2006.01); **B32B 27/40** (2006.01); **C09D 5/02** (2006.01); **C09D 175/08** (2006.01); **D06N 3/14** (2006.01)

CPC (source: EP KR US)  
**B32B 7/12** (2013.01 - EP KR US); **B32B 27/12** (2013.01 - EP KR US); **B32B 27/40** (2013.01 - EP KR US); **C08G 18/0823** (2013.01 - EP KR US); **C08G 18/44** (2013.01 - EP KR US); **C08G 18/4804** (2013.01 - EP KR US); **C08G 18/4854** (2013.01 - EP KR US); **C08G 18/6659** (2013.01 - EP KR US); **C08G 18/6692** (2013.01 - EP KR US); **C08G 18/758** (2013.01 - EP KR US); **C08L 75/04** (2013.01 - KR US); **C09D 5/28** (2013.01 - EP US); **C09D 175/04** (2013.01 - EP US); **D06N 3/0097** (2013.01 - EP US); **D06N 3/14** (2013.01 - EP US); **D06N 3/146** (2013.01 - EP US); **C08G 2170/80** (2013.01 - EP US); **D06N 2211/28** (2013.01 - EP US); **Y10T 428/249921** (2015.04 - EP US)

Cited by  
EP3530322A1; EP3901366A4; WO2021209284A1; WO2019166364A1

Designated contracting state (EPC)  
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)  
**EP 2602273 A1 20130612**; **EP 2602273 A4 20140122**; **EP 2602273 B1 20191023**; CN 103068873 A 20130424; CN 103068873 B 20151216; JP 5013233 B2 20120829; JP WO2012017724 A1 20131003; KR 101816640 B1 20180109; KR 20130098895 A 20130905; TW 201211091 A 20120316; TW I511993 B 20151211; US 2013136913 A1 20130530; WO 2012017724 A1 20120209

DOCDB simple family (application)  
**EP 11814354 A 20110524**; CN 201180038836 A 20110524; JP 2011061846 W 20110524; JP 2011549103 A 20110524; KR 20127033975 A 20110524; TW 100127854 A 20110805; US 201113814399 A 20110524