

Title (en)

USE OF EPOXIDIZED ARYLALKYLPHENOLS AS REACTIVE RESIN DILUENTS

Title (de)

VERWENDUNG EPOXIDIERTER ARYLALKYLPHENOLE ALS REAKTIVHARZVERDÜNNER

Title (fr)

UTILISATION D'ARYLALKYLPHÉNOLS ÉPOXYDÉS COMME DILUANT DE RÉSINE RÉACTIF

Publication

EP 2688951 A1 20140129 (DE)

Application

EP 12708815 A 20120307

Priority

- DE 102011015193 A 20110325
- EP 2012053890 W 20120307

Abstract (en)

[origin: WO2012130570A1] Glycidylated mono(alkylaryl)phenols (styrenized phenols) or mixtures thereof are suitable for use as reactive diluents and reaction participants in the production of epoxy resins and have the structure of the general formula (I) shown below, in which R1 and R2 are each independently -H, C1-3-alkyl, C1-3-oxalkyl and glycidyl, but R1 and R2 are not both glycidyl, R3 is an optionally substituted styryl of the formula, R4 is a hydrogen radical or methyl and R5 and R6 are each a hydrogen radical, C1-3-alkyl, C1-2-oxalkyl.

IPC 8 full level

C08G 59/36 (2006.01); **C08G 59/40** (2006.01); **C08K 5/1515** (2006.01)

CPC (source: EP KR US)

C07D 303/04 (2013.01 - EP US); **C08G 59/223** (2013.01 - EP US); **C08G 59/36** (2013.01 - KR); **C08G 59/40** (2013.01 - KR); **C08G 59/621** (2013.01 - EP US); **C08K 5/1515** (2013.01 - EP KR US); **C09D 163/00** (2013.01 - EP US)

Citation (search report)

See references of WO 2012130570A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

DE 102011015193 A1 20120927; CN 103459482 A 20131218; EP 2688951 A1 20140129; JP 2014515045 A 20140626; KR 20140041470 A 20140404; US 2014179890 A1 20140626; WO 2012130570 A1 20121004

DOCDB simple family (application)

DE 102011015193 A 20110325; CN 201280015139 A 20120307; EP 12708815 A 20120307; EP 2012053890 W 20120307; JP 2014500314 A 20120307; KR 20137028320 A 20120307; US 201214007212 A 20120307