

Title (en)  
MAGNETIC COMPONENT, SOFT MAGNETIC METAL POWDER USED IN SAME, AND METHOD FOR PRODUCING SAME

Title (de)  
MAGNETISCHE KOMPONENTE, DARIN VERWENDETES WEICHMAGNETISCHES METALLPULVER UND HERSTELLUNGSVERFAHREN DAFÜR

Title (fr)  
COMPOSANT MAGNÉTIQUE, POUDRE DE MÉTAL MAGNÉTIQUE DOUX UTILISÉE DANS CELUI-CI, ET SON PROCÉDÉ DE PRODUCTION

Publication  
**EP 2801424 A1 20141112 (EN)**

Application  
**EP 13848104 A 20130313**

Priority  
JP 2013001638 W 20130313

Abstract (en)  
In a magnetic component, such as an inductor and an antenna, produced with a metal magnetic powder, a complex number component of magnetic permeability that is a loss in the GHz band was high. A magnetic component obtained by molding a soft magnetic metal powder can have a reduced loss factor in the GHz band. The soft magnetic metal powder is characterized by containing iron as a main ingredient, and having an average particle size of not larger than 300 nm, a coercive force (Hc) of 16 to 119 kA/m (200 to 1500 Oe), a saturation magnetization of not less than 90 Am<sup>2</sup>/kg, and a volume resistivity of not less than 1.0 × 10<sup>1</sup> Ω·cm. The volume resistivity is determined by measuring, by a four probe method, a molded body formed by vertically pressurizing 1.0 g of the metal powder at 64 MPa (20 kN).

IPC 8 full level  
**H01F 41/02** (2006.01); **B22F 1/16** (2022.01); **H01F 1/24** (2006.01); **H01F 1/33** (2006.01); **H01Q 17/00** (2006.01)

CPC (source: EP US)  
**B22F 1/16** (2022.01 - EP US); **H01F 1/33** (2013.01 - EP US); **H01Q 17/005** (2013.01 - EP); **B22F 2998/10** (2013.01 - EP); **B22F 2999/00** (2013.01 - EP); **C22C 2202/02** (2013.01 - EP); **H01F 1/24** (2013.01 - EP); **H01F 41/0246** (2013.01 - EP)

C-Set (source: EP US)  
EP  
1. **B22F 2999/00 + B22F 9/20 + B22F 2201/013**  
2. **B22F 2999/00 + B22F 1/16 + B22F 2201/03 + B22F 2201/50 + B22F 2201/02**  
3. **B22F 2998/10 + B22F 9/20 + B22F 1/16 + B22F 1/10**  
US  
1. **B22F 2999/00 + B22F 1/16 + B22F 2201/03 + B22F 2201/50 + B22F 2201/02**  
2. **B22F 2998/10 + B22F 9/20 + B22F 1/16 + B22F 1/10**

Designated contracting state (EPC)  
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)  
BA ME

DOCDB simple family (publication)  
**EP 2801424 A1 20141112; EP 2801424 A4 20150325; EP 2801424 B1 20170308**; CN 103999170 A 20140820; CN 103999170 B 20160615; KR 101496626 B1 20150226; KR 20140121810 A 20141016; TW 201426773 A 20140701; TW I471876 B 20150201; WO 2014141318 A1 20140918

DOCDB simple family (application)  
**EP 13848104 A 20130313**; CN 201380003390 A 20130313; JP 2013001638 W 20130313; KR 20147008494 A 20130313; TW 102112474 A 20130409