

Title (en)

PRECIPITATION HARDENED FE-NI ALLOY

Title (de)

AUSSCHEIDUNGSGEHÄRTETE FE-NI-LEGIERUNG

Title (fr)

ALLIAGE FE-NI DURCI PAR PRÉCIPITATION

Publication

EP 2806047 B1 20160203 (EN)

Application

EP 14169160 A 20140520

Priority

- JP 2013106957 A 20130521
- JP 2014039222 A 20140228

Abstract (en)

[origin: EP2806047A1] Provided is a precipitation hardened Fe-Ni alloy having the following constitutions: (1) the precipitation hardened Fe-Ni alloy including: from 0.01 to 0.08% by mass of C, from 0.02 to 1.0% by mass of Si, not more than 1.0% by mass of Mn, from 36.0 to 41.0% by mass of Ni, 14.0 or more and less than 20.0% by mass of Cr, from 0.01 to 3.0% by mass of Mo, from 0.1 to 1.0% by mass of Al, from 1.0 to 2.5% by mass of Ti, and from 2.0 to 3.5% by mass of Nb, with the balance being Fe and unavoidable impurities; (2) the precipitation hardened Fe-Ni alloy satisfying the following formulae: $\text{Ni} \geq 6 \times \text{Nb} + 17$ and $\text{Nb}/(\text{Ti}+\text{Al}) \leq 0.8$.

IPC 8 full level

C22C 38/42 (2006.01); **C21D 6/00** (2006.01); **C21D 6/02** (2006.01); **C22C 19/05** (2006.01); **C22C 30/00** (2006.01); **C22C 30/02** (2006.01);
C22C 38/02 (2006.01); **C22C 38/04** (2006.01); **C22C 38/06** (2006.01); **C22C 38/44** (2006.01); **C22C 38/46** (2006.01); **C22C 38/48** (2006.01);
C22C 38/50 (2006.01); **C22C 38/54** (2006.01); **C22F 1/10** (2006.01); **C21D 1/18** (2006.01)

CPC (source: EP US)

C21D 6/004 (2013.01 - EP US); **C21D 6/02** (2013.01 - EP US); **C22C 19/056** (2013.01 - EP US); **C22C 30/00** (2013.01 - US);
C22C 30/02 (2013.01 - US); **C22C 38/002** (2013.01 - US); **C22C 38/005** (2013.01 - US); **C22C 38/02** (2013.01 - EP US);
C22C 38/04 (2013.01 - EP US); **C22C 38/06** (2013.01 - EP US); **C22C 38/42** (2013.01 - EP US); **C22C 38/44** (2013.01 - EP US);
C22C 38/46 (2013.01 - EP US); **C22C 38/48** (2013.01 - EP US); **C22C 38/50** (2013.01 - EP US); **C22C 38/54** (2013.01 - EP US);
C22F 1/10 (2013.01 - EP US); **C21D 1/18** (2013.01 - EP US)

Cited by

RU2650353C1; EP3208355A1; CN107090556A; US10119182B2

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

EP 2806047 A1 20141126; EP 2806047 B1 20160203; JP 2015004125 A 20150108; JP 6337514 B2 20180606; US 2014345752 A1 20141127

DOCDB simple family (application)

EP 14169160 A 20140520; JP 2014039222 A 20140228; US 201414278179 A 20140515