

Title (en)  
HIGH-STRENGTH STAINLESS STEEL WIRE HAVING EXCELLENT HEAT DEFORMATION RESISTANCE, HIGH-STRENGTH SPRING, AND METHOD FOR MANUFACTURING SAME

Title (de)  
HOCHFESTER ROSTFREIER STAHLDRAHT MIT HERVORRAGENDER WÄRMEVERFORMUNGSBESTÄNDIGKEIT, HOCHFESTE FEDER UND VERFAHREN ZUR HERSTELLUNG DAVON

Title (fr)  
CÂBLE EN ACIER INOXYDABLE À RÉSISTANCE ÉLEVÉE AYANT UNE EXCELLENTE RÉSISTANCE À LA DÉFORMATION THERMIQUE, RESSORT À RÉSISTANCE ÉLEVÉE ET LEUR PROCÉDÉ DE FABRICATION

Publication  
**EP 2832876 A1 20150204 (EN)**

Application  
**EP 13767507 A 20130327**

Priority  
• JP 2012076870 A 20120329  
• JP 2013062817 A 20130325  
• JP 2013058992 W 20130327

Abstract (en)  
A high-strength stainless steel wire includes, by mass%, C: 0.02% to 0.12%, N: 0.005% to 0.03%, Si: 0.1% to 2.0%, Mn: 0.1% to 2.0%, Ni: 6.8% to 9.0%, Cr: 12.0% to 14.4%, Mo: 1.0% to 3.0%, Al: 0.5% to 2.0%, and a balance consisting of Fe and unavoidable impurities, in which an amount of C and N is controlled in a range of 0.05% # (C + N) # 0.13%, a deformation induced martensite formation index MdS value is 15 to 60, an amount of deformation induced martensite is 80 vol% to 99 vol%, and a tensile strength is 1800 MPa to 2200 MPa. MdS = 551 - 462 # C + N - 9.2 # Si - 8.1 # Mn - 29 # Ni + Cu - 13.7 # Cr - 18.5 # Mo

IPC 8 full level  
**C22C 38/00** (2006.01); **B21C 1/00** (2006.01); **C21D 6/00** (2006.01); **C21D 8/06** (2006.01); **C21D 9/02** (2006.01); **C21D 9/52** (2006.01); **C22C 38/02** (2006.01); **C22C 38/04** (2006.01); **C22C 38/06** (2006.01); **C22C 38/42** (2006.01); **C22C 38/44** (2006.01); **C22C 38/46** (2006.01); **C22C 38/48** (2006.01); **C22C 38/50** (2006.01); **C22C 38/58** (2006.01); **F16F 1/02** (2006.01)

CPC (source: EP)  
**B21C 1/003** (2013.01); **C21D 6/004** (2013.01); **C21D 8/065** (2013.01); **C21D 9/52** (2013.01); **C22C 38/00** (2013.01); **C22C 38/002** (2013.01); **C22C 38/02** (2013.01); **C22C 38/04** (2013.01); **C22C 38/06** (2013.01); **C22C 38/42** (2013.01); **C22C 38/44** (2013.01); **C22C 38/46** (2013.01); **C22C 38/48** (2013.01); **C22C 38/50** (2013.01); **C22C 38/58** (2013.01); **B21C 37/04** (2013.01); **C21D 9/02** (2013.01); **C21D 2211/008** (2013.01)

Cited by  
CN111043204A; US10718033B2; US10662494B2; WO2024041687A1; US11767585B2; DE102023117976A1; WO2022243000A1

Designated contracting state (EPC)  
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)  
BA ME

DOCDB simple family (publication)  
**EP 2832876 A1 20150204; EP 2832876 A4 20151216; EP 2832876 B1 20191120**; CN 104136645 A 20141105; CN 104136645 B 20160629; HK 1205769 A1 20151224; JP 2013227662 A 20131107; JP 6259579 B2 20180110; KR 101615844 B1 20160426; KR 20140117568 A 20141007; TW 201346044 A 20131116; TW I491745 B 20150711; WO 2013146876 A1 20131003

DOCDB simple family (application)  
**EP 13767507 A 20130327**; CN 201380010651 A 20130327; HK 15106402 A 20150706; JP 2013058992 W 20130327; JP 2013062817 A 20130325; KR 20147023074 A 20130327; TW 102111147 A 20130328