

Title (en)
Aluminium casting alloy

Title (de)
Aluminiumgusslegierung

Title (fr)
Alliage de fonderie d'aluminium

Publication
EP 2865772 A1 20150429 (EN)

Application
EP 13382421 A 20131023

Priority
EP 13382421 A 20131023

Abstract (en)
Aluminium casting alloy comprising 7-9% by weight of silicon, 0.6-1% by weight of iron, 0.7-1.5% by weight of copper, 0.05-0,5% by weight of manganese, 0.1-3% by weight of zinc, 0.05-0.5% by weight of magnesium, 0.01-0.15% by weight of titanium, 0.01-0.1% by weight of chrome, 0.01-0.1% by weight of nickel, 0.01-0.1% by weight of lead and 0.01-0.1% by weight of tin.

IPC 8 full level
C22C 21/02 (2006.01); **C22C 21/00** (2006.01)

CPC (source: EP)
C22C 21/00 (2013.01); **C22C 21/02** (2013.01)

Citation (search report)
• [X] DE 19524564 A1 19970102 - VAW ALUCAST GMBH [DE]
• [X] EP 1978120 A1 20081008 - UNIV CLAUSTHAL TECH [DE]
• [A] WO 2013063488 A2 20130502 - ALCOA INC [US], et al
• [A] WO 2006102550 A2 20060928 - SPX CORP [US], et al
• [A] WO 03080883 A1 20031002 - SPX CORP [US], et al
• [A] EP 0924311 A1 19990623 - FEDERAL MOGUL BRADFORD LIMITED [GB]
• [A] FR 2121080 A5 19720818 - HONSEL WERKE AG
• [A] WO 2004001079 A2 20031231 - PECHINEY ALUMINIUM [FR], et al

Cited by
CN108330346A; EP3342890A1; EP3342889A1; WO2019034837A1

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

DOCDB simple family (publication)
EP 2865772 A1 20150429; EP 2865772 B1 20160413; ES 2582527 T3 20160913

DOCDB simple family (application)
EP 13382421 A 20131023; ES 13382421 T 20131023