

Title (en)

METHOD FOR PRODUCING MAZ-TYPE ZEOLITE

Title (de)

VERFAHREN ZUR HERSTELLUNG VON MAZ-ZEOLITH

Title (fr)

PROCÉDÉ DE PRODUCTION D'UNE ZÉOLITHE DE TYPE MAZ

Publication

EP 2876084 B1 20160914 (EN)

Application

EP 13819955 A 20130716

Priority

- JP 2012161786 A 20120720
- JP 2013069251 W 20130716

Abstract (en)

[origin: EP2876084A1] Provided is a method for producing a MAZ-type zeolite, the method having an environmental impact which has been reduced as much as possible whilst not using a structure-directing agent as far as possible. In the method for producing a MAZ-type zeolite according to the present invention: (1) a silica source, an alumina source, an alkali source and water are mixed so as to form a reaction mixture that has a composition represented by a specific molar ratio; (2) a MAZ-type zeolite, which has a SiO₂/Al₂O₃ ratio of 5-10, has an average particle diameter of at least 0.1μm and does not contain an organic compound, is added, as a seed crystal, into the reaction mixture in an amount of 0.1-30 weight % relative to the silica components in the reaction mixture; and (3) the reaction mixture, into which the seed crystal has been added, is heated at 80-200°C in a closed system.

IPC 8 full level

C01B 39/34 (2006.01)

CPC (source: CN EP US)

B01J 20/18 (2013.01 - EP US); **B01J 20/3085** (2013.01 - EP US); **B01J 29/7011** (2013.01 - US); **B01J 37/04** (2013.01 - US);
B01J 37/08 (2013.01 - US); **B01J 37/10** (2013.01 - US); **C01B 39/34** (2013.01 - CN EP US); **C01P 2002/72** (2013.01 - CN)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

EP 2876084 A1 20150527; **EP 2876084 A4 20150701**; **EP 2876084 B1 20160914**; CN 104428248 A 20150318; CN 104428248 B 20160824;
JP 6108411 B2 20170405; JP WO2014013969 A1 20160630; US 2015210556 A1 20150730; US 9546096 B2 20170117;
WO 2014013969 A1 20140123

DOCDB simple family (application)

EP 13819955 A 20130716; CN 201380037097 A 20130716; JP 2013069251 W 20130716; JP 2014525815 A 20130716;
US 201314414166 A 20130716