

Title (en)  
ELECTRIC-RESISTANCE-WELDED STEEL PIPE

Title (de)  
WIDERSTANDSGESCHWEISSTES STAHLROHR

Title (fr)  
TUBE D'ACIER SOUDÉ PAR RÉSISTANCE ÉLECTRIQUE

Publication  
**EP 2952601 A1 20151209 (EN)**

Application  
**EP 14746008 A 20140130**

Priority

- JP 2013016670 A 20130131
- JP 2014052708 W 20140130

Abstract (en)  
Provided is an electric resistance welded steel pipe excellent in terms of fatigue strength. An electric resistance welded steel pipe, the steel pipe having a chemical composition containing, by mass%, C: 0.35% or more and 0.55% or less, Si: 0.01% or more and 1.0% or less, Mn: 1.0% or more and 3.0% or less, P: 0.02% or less, S: 0.01% or less, Al: 0.005% or less, N: 0.0050% or less, Cr: 0.1% or more and 0.5% or less, and the balance being Fe and inevitable impurities and a metallic microstructure including pearlite, ferrite, and bainite, in which the area ratio of the pearlite is 85% or more, the total of the area ratios (including 0) of the ferrite and the bainite is 15% or less, and in which a prior austenite grain size is 25  $\mu\text{m}$  or more.

IPC 8 full level  
**C22C 38/38** (2006.01); **C21D 8/10** (2006.01); **C22C 38/00** (2006.01); **C22C 38/02** (2006.01); **C22C 38/04** (2006.01); **C22C 38/06** (2006.01); **C22C 38/18** (2006.01); **C22C 38/22** (2006.01); **C22C 38/24** (2006.01); **C22C 38/26** (2006.01); **C22C 38/28** (2006.01); **C22C 38/32** (2006.01); **C22C 38/40** (2006.01); **C22C 38/42** (2006.01); **C22C 38/58** (2006.01)

CPC (source: EP US)  
**C21D 8/105** (2013.01 - EP US); **C22C 38/00** (2013.01 - EP US); **C22C 38/001** (2013.01 - EP US); **C22C 38/002** (2013.01 - EP US); **C22C 38/005** (2013.01 - EP US); **C22C 38/02** (2013.01 - EP US); **C22C 38/04** (2013.01 - EP US); **C22C 38/06** (2013.01 - EP US); **C22C 38/18** (2013.01 - EP US); **C22C 38/22** (2013.01 - EP US); **C22C 38/24** (2013.01 - EP US); **C22C 38/26** (2013.01 - EP US); **C22C 38/28** (2013.01 - EP US); **C22C 38/32** (2013.01 - EP US); **C22C 38/38** (2013.01 - EP US); **C22C 38/40** (2013.01 - EP US); **C22C 38/42** (2013.01 - EP US); **C22C 38/58** (2013.01 - EP US); **C21D 2211/002** (2013.01 - EP US); **C21D 2211/005** (2013.01 - EP US); **C21D 2211/009** (2013.01 - EP US)

Cited by  
EP3395973A4; EP3733911A4; US10738371B2; US11939639B2

Designated contracting state (EPC)  
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)  
BA ME

DOCDB simple family (publication)  
**EP 2952601 A1 20151209**; **EP 2952601 A4 20160217**; **EP 2952601 B1 20170927**; CN 104968821 A 20151007; CN 104968821 B 20170308; JP 5892267 B2 20160323; JP WO2014119802 A1 20170126; KR 101710816 B1 20170227; KR 20150099831 A 20150901; US 2015368768 A1 20151224; WO 2014119802 A1 20140807

DOCDB simple family (application)  
**EP 14746008 A 20140130**; CN 201480007099 A 20140130; JP 2014052708 W 20140130; JP 2014559807 A 20140130; KR 20157019843 A 20140130; US 201414765206 A 20140130