

Title (en)

HIGH STRENGTH HOT ROLLED STEEL SHEET AND METHOD FOR PRODUCING SAME

Title (de)

HOCHFESTES HEISSGEWAHLZTES STAHLBLECH UND VERFAHREN ZUR HERSTELLUNG DAVON

Title (fr)

TÔLE D'ACIER À HAUTE RÉSISTANCE MÉCANIQUE LAMINÉE À CHAUD ET SON PROCÉDÉ DE PRODUCTION

Publication

EP 2987887 A1 20160224 (EN)

Application

EP 1478555 A 20140317

Priority

- JP 2013084448 A 20130415
- JP 2013084450 A 20130415
- JP 2014001509 W 20140317

Abstract (en)

A high strength hot rolled steel sheet having a tensile strength TS of 980 MPa or more, has a composition containing, on a percent by mass basis, C: 0.05% or more and 0.18% or less, Si: 1.0% or less, Mn: 1.0% or more and 3.5% or less, P: 0.04% or less, S: 0.006% or less, Al: 0.10% or less, N: 0.008% or less, Ti: 0.05% or more and 0.20% or less, V: more than 0.1% and 0.3% or less, and the balance being Fe and incidental impurities, and has a microstructure comprising a primary phase and a secondary phase, the primary phase being a bainite phase having an area fraction of more than 85%, the secondary phase being at least one of ferrite phase, martensite phase, and retained austenite phase, the secondary phase having an area fraction of 0% or more and less than 15% in total, the bainite phase having an average lath interval of laths of 400 nm or less, and the laths having an average long axis length of 5.0 µm or less.

IPC 8 full level

B21B 1/22 (2006.01); **B21B 3/00** (2006.01); **C21D 1/25** (2006.01); **C21D 1/84** (2006.01); **C21D 6/00** (2006.01); **C21D 7/13** (2006.01); **C21D 8/02** (2006.01); **C21D 8/04** (2006.01); **C21D 9/46** (2006.01); **C22C 38/00** (2006.01); **C22C 38/02** (2006.01); **C22C 38/04** (2006.01); **C22C 38/06** (2006.01); **C22C 38/12** (2006.01); **C22C 38/14** (2006.01); **C22C 38/16** (2006.01); **C22C 38/46** (2006.01); **C22C 38/50** (2006.01); **C22C 38/58** (2006.01)

CPC (source: EP US)

B21B 1/22 (2013.01 - EP US); **C21D 1/02** (2013.01 - EP US); **C21D 1/84** (2013.01 - US); **C21D 6/004** (2013.01 - EP US); **C21D 6/005** (2013.01 - EP US); **C21D 6/008** (2013.01 - EP US); **C21D 7/13** (2013.01 - EP US); **C21D 8/0226** (2013.01 - EP US); **C21D 8/0263** (2013.01 - EP US); **C21D 8/0426** (2013.01 - EP US); **C21D 8/0463** (2013.01 - EP US); **C21D 9/46** (2013.01 - EP US); **C22C 38/001** (2013.01 - EP US); **C22C 38/002** (2013.01 - US); **C22C 38/005** (2013.01 - EP US); **C22C 38/02** (2013.01 - EP US); **C22C 38/04** (2013.01 - EP US); **C22C 38/06** (2013.01 - EP US); **C22C 38/12** (2013.01 - EP US); **C22C 38/14** (2013.01 - EP US); **C22C 38/58** (2013.01 - EP US); **B21B 2001/225** (2013.01 - EP US); **C21D 2211/002** (2013.01 - EP US); **C21D 2211/003** (2013.01 - EP US); **C22C 38/16** (2013.01 - EP US); **C22C 38/46** (2013.01 - EP US); **C22C 38/50** (2013.01 - EP US)

Cited by

US11578375B2; WO2021123130A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

EP 2987887 A1 20160224; **EP 2987887 A4 20160914**; **EP 2987887 B1 20190911**; CN 105102662 A 20151125; KR 20160041850 A 20160418; MX 2015014437 A 20160203; MX 2020003923 A 20200813; US 2016076124 A1 20160317; WO 2014171063 A1 20141023

DOCDB simple family (application)

EP 1478555 A 20140317; CN 201480020707 A 20140317; JP 2014001509 W 20140317; KR 20157031660 A 20140317; MX 2015014437 A 20140317; MX 2020003923 A 20151014; US 201414784455 A 20140317