

Title (en)

MARTENSITIC STAINLESS STEEL HAVING EXCELLENT WEAR RESISTANCE AND CORROSION RESISTANCE, AND METHOD FOR PRODUCING SAME

Title (de)

ROSTFREIER MARTENSITISCHER STAHL MIT AUSGEZEICHNETER VERSCHLEISSFESTIGKEIT UND KORROSIONSBESTÄNDIGKEIT UND VERFAHREN ZUR HERSTELLUNG DAVON

Title (fr)

ACIER INOXYDABLE MARTENSITIQUE AYANT UNE EXCELLENTE RÉSISTANCE À L'USURE ET UNE EXCELLENTE RÉSISTANCE À LA CORROSION, ET PROCÉDÉ POUR SA PRODUCTION

Publication

**EP 3034642 B1 20181219 (EN)**

Application

**EP 14835747 A 20140811**

Priority

- JP 2013167780 A 20130812
- JP 2014071175 W 20140811

Abstract (en)

[origin: EP3034642A1] Martensitic stainless steel of the present invention having excellent corrosion resistance includes, by mass%, C: 0.40% to 0.50%, Si: 0.25% to 0.60%, Mn: 2.0% or less, P: 0.035% or less, S: 0.010% or less, Cr: 11.0% to 15.5%, Ni: 0.01% to 0.60%, Cu: 0.50% or less, Mo: 0.10% or less, Sn: 0.005% to 0.10%, V: 0.10% or less, Al: 0.03% or less, N: 0.01% to 0.05%, and a remainder including Fe and inevitable impurities, in which amounts of C, N, and Sn satisfy Expression (1):  $S \text{ value} = 16 \times Sn / C + 2 \times N / C \# \leq 0.40 \%$

IPC 8 full level

**C21D 1/25** (2006.01); **C21D 6/00** (2006.01); **C21D 8/02** (2006.01); **C22C 38/00** (2006.01); **C22C 38/02** (2006.01); **C22C 38/04** (2006.01); **C22C 38/06** (2006.01); **C22C 38/42** (2006.01); **C22C 38/44** (2006.01); **C22C 38/46** (2006.01); **C22C 38/48** (2006.01); **C22C 38/50** (2006.01); **C22C 38/58** (2006.01)

CPC (source: EP)

**C21D 1/25** (2013.01); **C21D 6/002** (2013.01); **C21D 8/0263** (2013.01); **C22C 38/00** (2013.01); **C22C 38/001** (2013.01); **C22C 38/008** (2013.01); **C22C 38/02** (2013.01); **C22C 38/04** (2013.01); **C22C 38/06** (2013.01); **C22C 38/42** (2013.01); **C22C 38/44** (2013.01); **C22C 38/46** (2013.01); **C22C 38/48** (2013.01); **C22C 38/50** (2013.01); **C22C 38/58** (2013.01); **C21D 2211/008** (2013.01)

Cited by

CN107287533A; CN109280862A; CN105568169A; CN108441781A

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

**EP 3034642 A1 20160622; EP 3034642 A4 20170426; EP 3034642 B1 20181219;** JP 6353839 B2 20180704; JP WO2015022932 A1 20170302; WO 2015022932 A1 20150219

DOCDB simple family (application)

**EP 14835747 A 20140811;** JP 2014071175 W 20140811; JP 2015531808 A 20140811