

Title (en)

CATALYST COMPONENT FOR OLEFIN POLYMERIZATION, AND CATALYST FOR OLEFIN POLYMERIZATION AND PROCESS FOR PRODUCING OLEFIN (CO)POLYMER USING SAME

Title (de)

KATALYSATORKOMPONENTE ZUR OLEFINPOLYMERISATION, KATALYSATOR ZUR OLEFINPOLYMERISATION UND VERFAHREN ZUR HERSTELLUNG EINES OLEFIN(CO)POLYMERS DAMIT

Title (fr)

COMPOSANT CATALYTIQUE POUR LA POLYMÉRISATION D'OLÉFINE, CATALYSEUR DE POLYMÉRISATION D'OLÉFINE ET PROCÉDÉ DE PRODUCTION D'UN (CO)POLYMÈRE D'OLÉFINE UTILISANT CELUI-CI

Publication

**EP 3061774 A4 20161130 (EN)**

Application

**EP 14856212 A 20141024**

Priority

- JP 2013221842 A 20131025
- JP 2014078323 W 20141024

Abstract (en)

[origin: EP3061774A1] Provided are a catalyst component for olefin polymerization which is highly active, an olefin polymerization catalyst, and a process for producing an olefin (co)polymer using the catalyst. The catalyst component for olefin polymerization is characterized by comprising an ion-exchanged phyllosilicate having the following property 1 and preferably further having the following property 2, etc. Property 1: in a pore distribution curve calculated by the BJH analysis method using an adsorption isotherm determined by a nitrogen adsorption method, the sum of the volumes of pores each having a diameter of 2-10 nm accounts for 60-100% of the total volume of mesopores. Property 2: in X-ray diffractometry (XRD), the ion-exchanged phyllosilicate gives a diffraction pattern which has a peak (m) at a 2<sub>0</sub> of 19.6-20.0 degrees, and when the peak (m) has a peak intensity (M), there is no peak (i) other than the peak (m) in a 2<sub>0</sub> of 15-25 degrees or there is a peak (i) in the 2<sub>0</sub> of 15-25 degrees, the peak (i) having a peak intensity (I) that satisfies the relationship 0<(I/M) $\leq$ 1.6 with the peak intensity (M).

IPC 8 full level

**C08F 10/00** (2006.01); **C08F 4/6592** (2006.01)

CPC (source: EP US)

**C08F 4/02** (2013.01 - US); **C08F 4/025** (2013.01 - US); **C08F 4/65912** (2013.01 - EP US); **C08F 4/65927** (2013.01 - EP US);  
**C08F 10/06** (2013.01 - US)

Citation (search report)

- [X] EP 1241188 A1 20020918 - JAPAN POLYCHEM CORP [JP]
- See references of WO 2015060421A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

**EP 3061774 A1 20160831; EP 3061774 A4 20161130; EP 3061774 B1 20180418;** BR 112016009028 B1 20210119;  
CN 105683221 A 20160615; CN 105683221 B 20180626; JP 2015108138 A 20150611; JP 2018111841 A 20180719; JP 6534514 B2 20190626;  
US 2016272736 A1 20160922; US 9751961 B2 20170905; WO 2015060421 A1 20150430

DOCDB simple family (application)

**EP 14856212 A 20141024;** BR 112016009028 A 20141024; CN 201480058710 A 20141024; JP 2014078323 W 20141024;  
JP 2014217001 A 20141024; JP 2018085692 A 20180426; US 201415030453 A 20141024