

Title (en)
HOT-ROLLED STEEL PLATE MEMBER

Title (de)
WARMGEWALZTES STAHLBLECHELEMENT

Title (fr)
ÉLÉMENT DE PLAQUE D'ACIER LAMINÉE À CHAUD

Publication
EP 3144405 A4 20180103 (EN)

Application
EP 15793575 A 20150515

Priority
• JP 2014101443 A 20140515
• JP 2014101444 A 20140515
• JP 2015064101 W 20150515

Abstract (en)
[origin: EP3144405A1] A hot-formed steel sheet member having a chemical composition, consisting of, in terms of mass %, from 0.08 to 0.16% of C, 0.19% or less of Si, from 0.40 to 1.50% of Mn, 0.02% or less of P, 0.01% or less of S, from 0.01 to 1.0% of sol. Al, 0.01% or less of N, from 0.25 to 3.00% of Cr, from 0.01 to 0.05% of Ti, from 0.001 to 0.01% of B, from 0 to 0.50% of Nb, from 0 to 2.0% of Ni, from 0 to 1.0% of Cu, from 0 to 1.0% of Mo, from 0 to 1.0% of V, from 0 to 0.005% of Ca, and a remainder consisting of Fe and impurities, wherein a total volume fraction of martensite, tempered martensite, and bainite is 50% or more, and a volume fraction of ferrite is 3% or less, an average grain size of prior ³ grains is 10 μm or less, and a number density of residual carbides which are present is 4 × 10³ per mm² or less.

IPC 8 full level
C21D 1/18 (2006.01); **C21D 8/02** (2006.01); **C21D 9/00** (2006.01); **C21D 9/46** (2006.01); **C22C 38/00** (2006.01); **C22C 38/02** (2006.01); **C22C 38/04** (2006.01); **C22C 38/06** (2006.01); **C22C 38/20** (2006.01); **C22C 38/22** (2006.01); **C22C 38/24** (2006.01); **C22C 38/26** (2006.01); **C22C 38/28** (2006.01); **C22C 38/32** (2006.01); **C22C 38/38** (2006.01); **C22C 38/50** (2006.01); **C22C 38/54** (2006.01)

CPC (source: EP KR US)
B22D 11/001 (2013.01 - EP US); **C21D 8/0226** (2013.01 - EP US); **C21D 8/0236** (2013.01 - EP US); **C21D 8/0263** (2013.01 - EP US); **C21D 9/46** (2013.01 - EP KR US); **C22C 38/00** (2013.01 - EP US); **C22C 38/001** (2013.01 - EP KR US); **C22C 38/002** (2013.01 - EP US); **C22C 38/02** (2013.01 - EP KR US); **C22C 38/04** (2013.01 - EP KR US); **C22C 38/06** (2013.01 - EP KR US); **C22C 38/20** (2013.01 - EP US); **C22C 38/22** (2013.01 - EP US); **C22C 38/24** (2013.01 - EP US); **C22C 38/26** (2013.01 - EP US); **C22C 38/28** (2013.01 - EP KR US); **C22C 38/32** (2013.01 - EP KR US); **C22C 38/38** (2013.01 - EP US); **C22C 38/50** (2013.01 - EP US); **C22C 38/54** (2013.01 - EP KR US); **C23C 2/06** (2013.01 - US); **C23C 2/12** (2013.01 - US); **C25D 3/22** (2013.01 - US); **C21D 1/18** (2013.01 - EP US); **C21D 9/00** (2013.01 - EP US); **C21D 2211/002** (2013.01 - EP US); **C21D 2211/005** (2013.01 - EP US); **C21D 2211/008** (2013.01 - EP US)

Citation (search report)
• [I] JP 2007314817 A 20071206 - SUMITOMO METAL IND
• [XI] US 2014037980 A1 20140206 - KAWASAKI KAORU [JP]
• See references of WO 2015174530A1

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
EP 3144405 A1 20170322; **EP 3144405 A4 20180103**; **EP 3144405 B1 20190821**; CN 106661685 A 20170510; CN 106661685 B 20180420; ES 2753390 T3 20200408; JP 6315087 B2 20180425; JP WO2015174530 A1 20170427; KR 101908210 B1 20181015; KR 20160147025 A 20161221; MX 2016014884 A 20170307; PL 3144405 T3 20200228; TW 201602360 A 20160116; TW I563101 B 20161221; US 2017073792 A1 20170316; WO 2015174530 A1 20151119

DOCDB simple family (application)
EP 15793575 A 20150515; CN 201580024959 A 20150515; ES 15793575 T 20150515; JP 2015064101 W 20150515; JP 2016519321 A 20150515; KR 20167033364 A 20150515; MX 2016014884 A 20150515; PL 15793575 T 20150515; TW 104115582 A 20150515; US 201515311117 A 20150515