

Title (en)
METHOD TO PRINT MICRONEEDLE PATCHES RAPIDLY

Title (de)
VERFAHREN ZUM SCHNELLEN DRUCKEN VON MIKRONADELPFLASTERN

Title (fr)
PROCÉDÉ POUR IMPRIMER RAPIDEMENT DES PLAQUES DE MICRO-AIGUILLES

Publication
EP 3416620 A1 20181226 (EN)

Application
EP 17752671 A 20170214

Priority
• US 201662295166 P 20160215
• CN 2017073512 W 20170214

Abstract (en)
[origin: WO2017140239A1] A method to achieve rapid 3D printing of microneedle patches. The 3D printing method comprises a printing nozzle of multiple micro-holes and cold plate/platform on which the microneedle-supporting sheet (membrane) is placed. The solution or aqueous solution of microneedle-forming materials is printed onto the cold microneedle-supporting sheet with programmed rate of injection from the nozzle and velocity of the nozzle lifting. The relationship between the injection rate and the lifting velocity determines the shape of the microneedle tips. The freshly printed microneedles on the cold sheet are dried in two ways, drying at a temperature close to the ice point of water or drying after a freeze-thaw treatment of the microneedles.

IPC 8 full level
A61K 9/00 (2006.01)

CPC (source: EP US)
A61K 9/0021 (2013.01 - EP US); **A61K 47/32** (2013.01 - EP US); **A61K 47/36** (2013.01 - EP US); **A61M 37/0015** (2013.01 - EP US); **A61P 3/10** (2018.01 - EP); **B81C 1/00373** (2013.01 - EP US); **A61K 38/00** (2013.01 - EP US); **A61M 2037/0053** (2013.01 - EP US); **B81B 2201/055** (2013.01 - EP US); **B81C 2201/0185** (2013.01 - EP US)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

DOCDB simple family (publication)
WO 2017140239 A1 20170824; CN 108601727 A 20180928; CN 108601727 B 20211022; EP 3416620 A1 20181226; EP 3416620 A4 20191009; EP 3416620 B1 20240403; EP 3416620 C0 20240403; JP 2019511937 A 20190509; JP 6708747 B2 20200610; US 11116954 B2 20210914; US 2019046778 A1 20190214

DOCDB simple family (application)
CN 2017073512 W 20170214; CN 201780008368 A 20170214; EP 17752671 A 20170214; JP 2018543225 A 20170214; US 201716077736 A 20170214