

Title (en)  
METHOD OF PRODUCING GRAIN-ORIENTED ELECTRICAL STEEL SHEET

Title (de)  
VERFAHREN ZUR HERSTELLUNG VON KORNIORIENTIERTEM ELEKTROSTAHLBLECH

Title (fr)  
MÉTHODE DE PRODUCTION DE TÔLE D'ACIER ÉLECTRIQUE À GRAINS ORIENTÉS

Publication  
**EP 3428294 B1 20240424 (EN)**

Application  
**EP 17763397 A 20170309**

Priority  
• JP 2016046016 A 20160309  
• JP 2017009561 W 20170309

Abstract (en)  
[origin: EP3428294A1] To provide a grain-oriented electrical steel sheet that has better magnetic property than conventional ones without requiring high-temperature slab heating, a method of producing a grain-oriented electrical steel sheet comprises: heating a steel slab in a temperature range of 1300 °C or less; subjecting the steel slab to hot rolling, to obtain a hot rolled steel sheet; optionally subjecting the hot rolled steel sheet to hot band annealing; subjecting the hot rolled steel sheet after the hot rolling or after the hot band annealing to cold rolling once, or twice or more with intermediate annealing performed therebetween, to obtain a cold rolled steel sheet having a final sheet thickness; and subjecting the cold rolled steel sheet to primary recrystallization annealing and secondary recrystallization annealing, wherein in the case of not performing the intermediate annealing, the hot rolled steel sheet is subjected to the hot band annealing, and, in a heating process in the hot band annealing, heating is performed at a heating rate of 10 °C/s or less for 10 sec or more and 120 sec or less in a temperature range of 700 °C or more and 950 °C or less, and in the case of performing the intermediate annealing, in a heating process in final intermediate annealing, heating is performed at a heating rate of 10 °C/s or less for 10 sec or more and 120 sec or less in a temperature range of 700 °C or more and 950 °C or less.

IPC 8 full level  
**C21D 8/12** (2006.01); **C21D 6/00** (2006.01); **C21D 9/46** (2006.01); **C22C 38/00** (2006.01); **C22C 38/02** (2006.01); **C22C 38/04** (2006.01); **C22C 38/06** (2006.01); **C22C 38/08** (2006.01); **C22C 38/12** (2006.01); **C22C 38/14** (2006.01); **C22C 38/16** (2006.01); **C22C 38/18** (2006.01); **C22C 38/40** (2006.01); **C22C 38/60** (2006.01); **H01F 1/147** (2006.01); **H01F 1/16** (2006.01)

CPC (source: EP KR RU US)  
**C21D 1/26** (2013.01 - KR); **C21D 6/005** (2013.01 - EP US); **C21D 6/008** (2013.01 - EP US); **C21D 8/12** (2013.01 - RU); **C21D 8/1216** (2013.01 - KR); **C21D 8/1222** (2013.01 - EP US); **C21D 8/1233** (2013.01 - EP US); **C21D 8/1244** (2013.01 - KR); **C21D 8/1255** (2013.01 - EP US); **C21D 8/1261** (2013.01 - EP US); **C21D 8/1266** (2013.01 - EP US); **C21D 8/1272** (2013.01 - EP US); **C21D 8/1283** (2013.01 - EP US); **C21D 8/1288** (2013.01 - EP US); **C21D 9/46** (2013.01 - EP KR US); **C22C 38/001** (2013.01 - EP KR US); **C22C 38/002** (2013.01 - EP US); **C22C 38/008** (2013.01 - EP US); **C22C 38/02** (2013.01 - EP KR US); **C22C 38/04** (2013.01 - EP KR US); **C22C 38/06** (2013.01 - EP KR US); **C22C 38/08** (2013.01 - EP US); **C22C 38/12** (2013.01 - EP US); **C22C 38/14** (2013.01 - EP US); **C22C 38/16** (2013.01 - EP US); **C22C 38/18** (2013.01 - EP US); **C22C 38/40** (2013.01 - EP US); **C22C 38/60** (2013.01 - EP RU US); **H01F 1/147** (2013.01 - RU US); **H01F 1/16** (2013.01 - EP US); **C22C 2202/02** (2013.01 - US)

Cited by  
EP3960888A4; EP3960887A4

Designated contracting state (EPC)  
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)  
**EP 3428294 A1 20190116**; **EP 3428294 A4 20190116**; **EP 3428294 B1 20240424**; BR 112018017171 A2 20190102; CN 108699621 A 20181023; CN 108699621 B 20200626; JP 6617827 B2 20191211; JP WO2017155057 A1 20180906; KR 102140991 B1 20200804; KR 20180113556 A 20181016; RU 2697115 C1 20190812; US 11332801 B2 20220517; US 2019271054 A1 20190905; WO 2017155057 A1 20170914

DOCDB simple family (application)  
**EP 17763397 A 20170309**; BR 112018017171 A 20170309; CN 201780015647 A 20170309; JP 2017009561 W 20170309; JP 2018504597 A 20170309; KR 20187025891 A 20170309; RU 2018131760 A 20170309; US 201716078010 A 20170309