

Title (en)

MARTENSITIC STEEL HAVING A Z-PHASE, POWDER AND COMPONENT

Title (de)

MARTENSITISCHER STAHL MIT Z-PHASE, PULVER UND BAUTEIL

Title (fr)

ACIER MARTENSITIQUE À PHASE Z, POUDRE ET ÉLÉMENT

Publication

EP 3443135 A1 20190220 (DE)

Application

EP 17711187 A 20170317

Priority

- DE 102016206371 A 20160415
- EP 2017056363 W 20170317

Abstract (en)

[origin: WO2017178188A1] The invention relates to a steel having the following composition: carbon (C): 0.08% - 0.12%, preferably 0.10%; silicon (Si): 0.04% - 0.08%; manganese (Mn): 0.08% - 0.012%; chromium (Cr): 9% - 11%; molybdenum (Mo): 0.4% - 1.0%; tungsten (W): 1.6% - 2.4%; cobalt (Co): 2.5% - 3.5%; nickel (Ni): 0.10% - 0.24%; boron (B): 0.006% - 0.01%; nitrogen (N): 0.002% - 0.01%; titanium (Ti): 0.008% - 0.03%; vanadium (V): 0.015% - 0.029%; niobium (Nb): 0.03% - 0.07%; optionally copper (Cu): 1.00% - 2.5%; aluminum (Al): 0.04% - 0.10%; the remainder being iron (Fe), wherein said steel has improved properties, since no further Z-phase formation occurs.

IPC 8 full level

C22C 33/02 (2006.01); **C22C 38/40** (2006.01); **C22C 38/44** (2006.01); **C22C 38/46** (2006.01); **C22C 38/48** (2006.01); **C22C 38/50** (2006.01); **C22C 38/52** (2006.01); **C22C 38/54** (2006.01)

CPC (source: EP US)

C22C 33/0285 (2013.01 - EP US); **C22C 38/001** (2013.01 - EP US); **C22C 38/02** (2013.01 - EP US); **C22C 38/04** (2013.01 - EP US); **C22C 38/06** (2013.01 - EP US); **C22C 38/40** (2013.01 - EP US); **C22C 38/44** (2013.01 - EP US); **C22C 38/46** (2013.01 - EP US); **C22C 38/48** (2013.01 - EP US); **C22C 38/50** (2013.01 - EP US); **C22C 38/52** (2013.01 - EP US); **C22C 38/54** (2013.01 - EP US)

Citation (search report)

See references of WO 2017178188A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

WO 2017178188 A1 20171019; DE 102016206371 A1 20171019; EP 3443135 A1 20190220; US 2019169722 A1 20190606

DOCDB simple family (application)

EP 2017056363 W 20170317; DE 102016206371 A 20160415; EP 17711187 A 20170317; US 201716092462 A 20170317