

Title (en)  
METHOD FOR PRODUCING AN AT LEAST PARTIALLY CONTOURED, FIBRE REINFORCED PLASTIC PROFILE, A CONTOURED, FIBRE REINFORCED PLASTIC PROFILE AND ITS USE

Title (de)  
VERFAHREN ZUM HERSTELLEN EINES ZUMINDEST BEREICHSWEISE PROFILIERTEN, FASERVERSTÄRKTEN KUNSTSTOFFPROFILS, EIN PROFILIERTES, FASERVERSTÄRKTES KUNSTSTOFFPROFIL UND SEINE VERWENDUNG

Title (fr)  
PROCÉDÉ DE FABRICATION D'UN PROFILÉ EN MATIÈRE PLASTIQUE PROFILÉ AU MOINS PAR ENDROITS ET RENFORCÉ PAR DES FIBRES, PROFILÉ EN MATIÈRE PLASTIQUE PROFILÉ RENFORCÉ PAR DES FIBRES ET UTILISATION DUDIT PROFILÉ

Publication  
**EP 3463824 A1 20190410 (DE)**

Application  
**EP 17728537 A 20170607**

Priority  
• DE 102016210040 A 20160607  
• EP 2017063866 W 20170607

Abstract (en)  
[origin: WO2017211904A1] The invention relates to a method for producing an at least partially contoured, fibre reinforced plastic profile (1) comprising the following method steps: - providing a plurality of first reinforcement fibres (2), preferably long fibres and/or continuous fibres, - feeding the first reinforcement fibres (2) into a unit (3) for combining the first reinforcement fibres (2) to produce a uni-, bi- or tridirectional fibre bundle (4), - feeding the fibre bundle (4) into a unit (5) for impregnating the fibre bundle (4) with a first polymer matrix, - feeding the impregnated fibre bundle (4) into a unit (7) for at least partially shaping and for at least partially or fully curing the first polymer matrix to produce a fibre reinforced main plastic body (8), more particularly using heat, - providing second reinforcement fibres (9) for applying to the fibre reinforced main plastic body (8) at least in parts, - feeding the fibre reinforced main plastic body (8) containing the second reinforcement fibres (9) into a unit (13) for the at least partial fibre reinforced contouring and/or shaping to produce an at least partially contoured, fibre reinforced plastic strand (14), more particularly under pressure, - trimming the at least partially contoured, fibre reinforced plastic strand (14) to produce an at least partially contoured, fibre reinforced plastic profile (1).

IPC 8 full level  
**B29C 70/08** (2006.01); **B29B 15/12** (2006.01); **B29C 59/04** (2006.01); **B29C 70/50** (2006.01); **B29C 70/52** (2006.01); **E04C 5/07** (2006.01)

CPC (source: EP US)  
**B29C 59/043** (2013.01 - EP US); **B29C 70/081** (2013.01 - EP US); **B29C 70/504** (2013.01 - EP US); **E04C 5/03** (2013.01 - EP US); **E04C 5/07** (2013.01 - EP US); **B29C 70/521** (2013.01 - EP); **B29K 2101/10** (2013.01 - US); **B29K 2101/12** (2013.01 - US); **B29K 2307/04** (2013.01 - US)

Citation (search report)  
See references of WO 2017211904A1

Designated contracting state (EPC)  
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)  
BA ME

DOCDB simple family (publication)  
**DE 102016210040 A1 20171207**; CN 109311240 A 20190205; CN 109311240 B 20201222; EP 3463824 A1 20190410; US 11230073 B2 20220125; US 2020316879 A1 20201008; WO 2017211904 A1 20171214

DOCDB simple family (application)  
**DE 102016210040 A 20160607**; CN 201780035318 A 20170607; EP 17728537 A 20170607; EP 2017063866 W 20170607; US 201716305344 A 20170607