

Title (en)  
NI-CR-FE ALLOY

Title (de)  
NI-CR-FE-LEGIERUNG

Title (fr)  
ALLIAGE À BASE DE NI-CR-FE

Publication  
**EP 3524705 B1 20201125 (EN)**

Application  
**EP 17858416 A 20171004**

Priority  
• JP 2016197458 A 20161005  
• JP 2017036059 W 20171004

Abstract (en)  
[origin: EP3524705A1] A NiCrFe alloy having excellent creep strength and stress relaxation cracking resistance is provided. The NiCrFe alloy according to the present invention has a chemical composition consisting of, in mass%, C: 0.03 to 0.15%, Si: not more than 1.00%, Mn: not more than 2.00%, P: not more than 0.040%, S: not more than 0.0050%, Cr: 18.0 to 25.0%, Ni: 25.0 to 40.0%, Ti: 0.10 to 1.60%, Al: 0.05 to 1.00%, N: not more than 0.020%, O: not more than 0.008%, and rare earth metal (REM): 0.001 to 0.100%, with the balance being Fe and impurities, the chemical composition satisfying Formulae (1) to (3): where, each symbol of element in the formulae is substituted by the content (mass%) of the corresponding element, and A(REM) in Formula (3) is substituted by the atomic weight of each rare earth metal.

IPC 8 full level  
**C22C 30/00** (2006.01); **C22C 30/02** (2006.01); **C22C 38/00** (2006.01); **C22C 38/04** (2006.01); **C22C 38/06** (2006.01); **C22C 38/42** (2006.01); **C22C 38/44** (2006.01); **C22C 38/46** (2006.01); **C22C 38/48** (2006.01); **C22C 38/50** (2006.01); **C22C 38/52** (2006.01); **C22C 38/54** (2006.01); **C22C 38/58** (2006.01)

CPC (source: EP KR US)  
**C22C 19/05** (2013.01 - EP); **C22C 19/055** (2013.01 - EP); **C22C 19/058** (2013.01 - EP); **C22C 30/00** (2013.01 - EP); **C22C 30/02** (2013.01 - EP KR US); **C22C 38/00** (2013.01 - US); **C22C 38/001** (2013.01 - US); **C22C 38/002** (2013.01 - EP US); **C22C 38/005** (2013.01 - EP US); **C22C 38/02** (2013.01 - EP US); **C22C 38/04** (2013.01 - EP US); **C22C 38/06** (2013.01 - EP US); **C22C 38/42** (2013.01 - EP US); **C22C 38/44** (2013.01 - EP US); **C22C 38/46** (2013.01 - EP US); **C22C 38/48** (2013.01 - EP US); **C22C 38/50** (2013.01 - EP KR US); **C22C 38/52** (2013.01 - EP US); **C22C 38/54** (2013.01 - EP US); **C22C 38/58** (2013.01 - EP KR US)

Cited by  
CN116497256A

Designated contracting state (EPC)  
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)  
**EP 3524705 A1 20190814**; **EP 3524705 A4 20200408**; **EP 3524705 B1 20201125**; CA 3039043 A1 20180412; CN 109790610 A 20190521; ES 2843268 T3 20210716; JP 6705508 B2 20200603; JP WO2018066579 A1 20190711; KR 20190065352 A 20190611; US 2019284666 A1 20190919; WO 2018066579 A1 20180412

DOCDB simple family (application)  
**EP 17858416 A 20171004**; CA 3039043 A 20171004; CN 201780061633 A 20171004; ES 17858416 T 20171004; JP 2017036059 W 20171004; JP 2018543927 A 20171004; KR 20197012721 A 20171004; US 201716339073 A 20171004